

Publications

- (1) Crosino A, Moscato E, Blangetti M, Carotenuto G, Spina F, Bordignon S, et al. Extraction of short chain chitooligosaccharides from fungal biomass and their use as promoters of arbuscular mycorrhizal symbiosis. *Sci Rep* 2021;11(1).
- (2) Pistidda C, Santhosh A, Jerabek P, Shang Y, Girella A, Milanese C, et al. Hydrogenation via a low energy mechanochemical approach: The MgB₂ case. *J Phy Energy* 2021;3(4).
- (3) Rotundo L, Gobetto R, Nervi C. Electrochemical CO₂ reduction with earth-abundant metal catalysts. *Curr Opin Green Sustain Chem* 2021;31.
- (4) Perazio A, Lowe G, Gobetto R, Bonin J, Robert M. Light-driven catalytic conversion of CO₂ with heterogenized molecular catalysts based on fourth period transition metals. *Coord Chem Rev* 2021;443.
- (5) Giordano M, Volpi G, Bonomo M, Mariani P, Garino C, Viscardi G. Methoxy-substituted copper complexes as possible redox mediators in dye-sensitized solar cells. *New J Chem* 2021;45(34):15303-15311.
- (6) Volpi G, Garino C, Fresta E, Casamassa E, Giordano M, Barolo C, et al. Strategies to increase the quantum yield: Luminescent methoxylated imidazo[1,5-a]pyridines. *Dyes Pigm* 2021;192.
- (7) Filippi J, Rotundo L, Gobetto R, Miller HA, Nervi C, Lavacchi A, et al. Turning manganese into gold: Efficient electrochemical CO₂ reduction by a fac-Mn(apbpy)(CO)₃Br complex in a gas-liquid interface flow cell. *Chem Eng J* 2021;416.
- (8) Aramini A, Bianchini G, Lillini S, Bordignon S, Tomassetti M, Novelli R, et al. Unexpected salt/cocrystal polymorphism of the ketoprofen-lysine system: Discovery of a new ketoprofen-lysine salt polymorph with different physicochemical and pharmacokinetic properties. *Pharmaceuticals* 2021;14(6).
- (9) Rotundo L, Grills DC, Gobetto R, Priola E, Nervi C, Polyansky DE, et al. Photochemical CO₂ Reduction Using Rhenium(I) Tricarbonyl Complexes with Bipyridyl-Type Ligands with and without Second Coordination Sphere Effects. *ChemPhotoChem* 2021;5(6):494.
- (10) Rotundo L, Grills DC, Gobetto R, Priola E, Nervi C, Polyansky DE, et al. Photochemical CO₂ Reduction Using Rhenium(I) Tricarbonyl Complexes with Bipyridyl-Type Ligands with and without Second Coordination Sphere Effects. *ChemPhotoChem* 2021;5(6):526-537.
- (11) Arhangelskis M, Bužar D-, Bordignon S, Chierotti MR, Stratford SA, Voinovich D, et al. Mechanochemical reactivity inhibited, prohibited and reversed by liquid additives: examples from crystal-form screens. *Chem Sci* 2021;12(9):3264-3269.
- (12) Xue X, Fu Y, He L, Salassa L, He L-, Hao Y-, et al. Photoactivated Osmium Arene Anticancer Complexes. *Inorg Chem* 2021.
- (13) Dotoli M, Milo E, Giuliano M, Rocca R, Nervi C, Baricco M, et al. Detection of lithium plating in li-ion cell anodes using realistic automotive fast-charge profiles. *Batteries* 2021;7(3).
- (14) Seymour LM, Nicola M, Kessler MI, Yost CL, Bazzacco A, Marelllo A, et al. On the production of ancient Egyptian blue: Multi-modal characterization and micronscale luminescence mapping. *PLoS ONE* 2020;15(11 November).
- (15) Verma V, Bordignon S, Chierotti MR, Lestari M, Lyons K, Padrela L, et al. Cortisone and cortisol break hydrogen-bonding rules to make a drug-prodrug solid solution. *IUCrJ* 2020;7:1124-1130.

- (16) Tapmeyer L, Bolte M, Chierotti MR, Schmidt MU. Structure of the intermediates in the industrial separation of perinone isomers. *Dyes Pigm* 2020;181.
- (17) Rotundo L, Polyansky DE, Gobetto R, Grills DC, Fujita E, Nervi C, et al. Molecular Catalysts with Intramolecular Re-O Bond for Electrochemical Reduction of Carbon Dioxide. *Inorg Chem* 2020;59(17):12187-12199.
- (18) Gulino V, Wolczyk A, Golov AA, Eremin RA, Palumbo M, Nervi C, et al. Combined DFT and geometrical-topological analysis of Li-ion conductivity in complex hydrides. *Inorg Chem Front* 2020;7(17):3115-3125.
- (19) Bordignon S, Vioglio PC, Amadio E, Rossi F, Priola E, Voinovich D, et al. Molecular crystal forms of antitubercular ethionamide with dicarboxylic acids: Solid-state properties and a combined structural and spectroscopic study. *Pharmaceutics* 2020;12(9):1-18.
- (20) Volpi G, Priola E, Garino C, Daolio A, Rabezzana R, Benzi P, et al. Blue fluorescent zinc(II) complexes based on tunable imidazo[1,5-a]pyridines. *Inorg Chim Acta* 2020;509.
- (21) Neri G, Mion G, Pizzi A, Celentano W, Chaabane L, Chierotti MR, et al. Fluorinated PLGA Nanoparticles for Enhanced Drug Encapsulation and ^{19}F NMR Detection. *Chem Eur J* 2020;26(44):10057-10063.
- (22) Musio B, Ragone R, Todisco S, Rizzuti A, Latronico M, Mastroilli P, et al. A community-built calibration system: The case study of quantification of metabolites in grape juice by qNMR spectroscopy. *Talanta* 2020;214.
- (23) Fornasari L, Olejniczak A, Rossi F, d'Agostino S, Chierotti MR, Gobetto R, et al. Solid-State Dynamics and High-Pressure Studies of a Supramolecular Spiral Gear. *Chem Eur J* 2020;26(22):5061-5069.
- (24) Zanolli D, Hasa D, Arhangelskis M, Schneider-Rauber G, Chierotti MR, Keiser J, et al. Mechanochemical formation of racemic praziquantel hemihydrate with improved biopharmaceutical properties. *Pharmaceutics* 2020;12(3).
- (25) Bernasconi D, Bordignon S, Rossi F, Priola E, Nervi C, Gobetto R, et al. Selective Synthesis of a Salt and a Cocrystal of the Ethionamide-Salicylic Acid System. *Cryst Growth Des* 2020;20(2):906-915.
- (26) Septavaux J, Tosi C, Jame P, Nervi C, Gobetto R, Leclaire J. Simultaneous CO_2 capture and metal purification from waste streams using triple-level dynamic combinatorial chemistry. *Nat Chem* 2020;12(2):202-212.
- (27) Priola E, Volpi G, Rabezzana R, Borfecchia E, Garino C, Benzi P, et al. Bridging Solution and Solid-State Chemistry of Dicyanoaurate: The Case Study of Zn-Au Nucleation Units. *Inorg Chem* 2020;59(1):203-213.
- (28) Gurruchaga-Pereda J, Martínez-Martínez V, Rezabal E, Lopez X, Garino C, Mancin F, et al. Flavin bioorthogonal photocatalysis toward platinum substrates. *ACS Catal* 2020;10(1):187-196.
- (29) Kumar V, Pilati T, Quici S, Chierotti MR, Nervi C, Gobetto R, et al. Proton in a Confined Space: Structural Studies of H^+ -Crypt-111 Iodide and Some Halogen-Bonded Derivatives. *Chem Eur J* 2020.
- (30) Zanolli D, Perissutti B, Vioglio PC, Chierotti MR, Gigli L, Demitri N, et al. Exploring mechanochemical parameters using a DoE approach: Crystal structure solution from synchrotron XRPD and characterization of a new praziquantel polymorph. *Eur J Pharm Sci* 2019;140.
- (31) Volpi G, Garino C, Priola E, Magistris C, Chierotti MR, Barolo C. Halogenated imidazo[1,5-a]pyridines: chemical structure and optical properties of a promising luminescent scaffold. *Dyes Pigm* 2019;171.
- (32) Duong NT, Rossi F, Makrinich M, Goldbourt A, Chierotti MR, Gobetto R, et al. Accurate ^1H - ^{14}N distance measurements by phase-modulated RESPDOR at ultra-fast MAS. *J Magn Reson* 2019;308.

- (33) Nicola M, Seymour LM, Aceto M, Priola E, Gobetto R, Masic A. Late production of Egyptian blue: synthesis from brass and its characteristics. *Archaeol Anthropol Sci* 2019;11(10):5377-5392.
- (34) Vismara R, Tuci G, Tombesi A, Domasevitch KV, Di Nicola C, Giambastiani G, et al. Tuning Carbon Dioxide Adsorption Affinity of Zinc(II) MOFs by Mixing Bis(pyrazolate) Ligands with N-Containing Tags. *ACS Appl Mater Interfaces* 2019;11(30):26956-26969.
- (35) Gulino V, Brighi M, Dematteis EM, Murgia F, Nervi C, ?erný R, et al. Phase Stability and Fast Ion Conductivity in the Hexagonal LiBH₄-LiBr-LiCl Solid Solution. *Chem Mater* 2019;31(14):5133-5144.
- (36) Rossi F, Duong NT, Pandey MK, Chierotti MR, Gobetto R, Nishiyama Y. Determination of the 15 N chemical shift anisotropy in natural abundance samples by proton-detected 3D solid-state NMR under ultrafast MAS of 70 kHz. *Magn Reson Chem* 2019;57(6):294-303.
- (37) Rotundo L, Garino C, Priola E, Sassone D, Rao H, Ma B, et al. Electrochemical and Photochemical Reduction of CO₂ Catalyzed by Re(I) Complexes Carrying Local Proton Sources. *Organometallics* 2019;38(6):1351-1360.
- (38) Luconi L, Garino C, Cerreia Vioglio P, Gobetto R, Chierotti MR, Yakhvarov D, et al. Halogen-Bonding Interactions and Electrochemical Properties of Unsymmetrical Pyrazole Pincer Ni(II) Halides: A Peculiar Behavior of the Fluoride Complex (PCN)NiF. *ACS Omega* 2019;4(1):1118-1129.
- (39) Anelli C, Chierotti MR, Bordignon S, Quadrelli P, Marongiu D, Bongiovanni G, et al. Investigation of Dimethylammonium Solubility in MAPbBr₃ Hybrid Perovskite: Synthesis, Crystal Structure, and Optical Properties. *Inorg Chem* 2019;58(1):944-949.
- (40) Roveda AC, Santos WG, Souza ML, Adelson CN, Gonçalves FS, Castellano EE, et al. Light-Activated generation of nitric oxide (NO) and sulfite anion radicals (SO₃⁻) from a ruthenium(II) nitrosylsulphito complex. *Dalton Trans* 2019;48(29):10812-10823.
- (41) Rotundo L, Azzi E, Deagostino A, Garino C, Nencini L, Priola E, et al. Electronic effects of substituents on fac-M(bpy-R)(CO)₃ (M = Mn, Re) complexes for homogeneous CO₂ electroreduction. *Front Chem* 2019;7(JUN).
- (42) Boanini E, Gazzano M, Nervi C, Chierotti MR, Rubini K, Gobetto R, et al. Strontium and zinc substitution in β -tricalcium phosphate: An X-ray diffraction, solid state NMR and ATR-FTIR study. *J Funct Biomater* 2019;10(2).
- (43) Rotundo L, Filippi J, Gobetto R, Miller HA, Rocca R, Nervi C, et al. Electrochemical CO₂ reduction in water at carbon cloth electrodes functionalized with a fac-Mn(apbpy)(CO)₃Br complex. *Chem Commun* 2019;55(6):775-777.
- (44) Rossi F, Vioglio PC, Chierotti MR, Gobetto R. CHAPTER 8: Solid-state NMR in the Study of Intermolecular Interactions. *Monogr Supramol Chem* 2019;2019-January(26):243-284.
- (45) d'Agostino S, Fornasari L, Grepioni F, Braga D, Rossi F, Chierotti MR, et al. Precessional Motion in Crystalline Solid Solutions of Ionic Rotors. *Chem Eur J* 2018;24(56):15059-15066.
- (46) Volpi G, Magistris C, Garino C. Natural aldehyde extraction and direct preparation of new blue light-emitting imidazo[1,5-a]pyridine fluorophores. *Nat Prod Res* 2018;32(19):2304-2311.
- (47) Volpi G, Lace B, Garino C, Priola E, Artuso E, Cerreia Vioglio P, et al. New substituted imidazo[1,5-a]pyridine and imidazo[5,1-a]isoquinoline derivatives and their application in fluorescence cell imaging. *Dyes Pigm* 2018;157:298-304.
- (48) Fresta E, Volpi G, Milanesio M, Garino C, Barolo C, Costa RD. Novel Ligand and Device Designs for Stable Light-Emitting Electrochemical Cells Based on Heteroleptic Copper(I) Complexes. *Inorg Chem* 2018;57(16):10469-10479.
- (49) Volpi G, Magistris C, Garino C. FLUO-SPICES: natural aldehydes extraction and one-pot reaction to prepare and characterize new interesting fluorophores. *Educ Chem Eng* 2018;24:1-6.
- (50) Nicola M, Aceto M, Gheroldi V, Gobetto R, Chiari G. Egyptian blue in the Castelseprio

mural painting cycle. Imaging and evidence of a non-traditional manufacture. *J Archaeol Sci Rep* 2018;19:465-475.

(51) Zanolla D, Perissutti B, Passerini N, Chierotti MR, Hasa D, Voinovich D, et al. A new soluble and bioactive polymorph of praziquantel. *Eur J Pharm Biopharm* 2018;127:19-28.

(52) Palma D, Bianco Prevot A, Celi L, Martin M, Fabbri D, Magnacca G, et al. Isolation, characterization, and environmental application of bio-based materials as auxiliaries in photocatalytic processes. *Catalysts* 2018;8(5).

(53) Rossi F, Cerreia Vioglio P, Bordignon S, Giorgio V, Nervi C, Priola E, et al. Unraveling the Hydrogen Bond Network in a Theophylline-Pyridoxine Salt Cocrystal by a Combined X-ray Diffraction, Solid-State NMR, and Computational Approach. *Cryst Growth Des* 2018;18(4):2225-2233.

(54) Santoru A, Pistidda C, Brighi M, Chierotti MR, Heere M, Karimi F, et al. Insights into the Rb-Mg-N-H System: An Ordered Mixed Amide/Imide Phase and a Disordered Amide/Hydride Solid Solution. *Inorg Chem* 2018;57(6):3197-3205.

(55) Fresta E, Volpi G, Garino C, Barolo C, Costa RD. Contextualizing yellow light-emitting electrochemical cells based on a blue-emitting imidazo-pyridine emitter. *Polyhedron* 2018;140:129-137.

(56) Rotundo L, Garino C, Gobetto R, Nervi C. Computational study of the electrochemical reduction of $W(CO)_4(2,2'$ -dipyridylamine). *Inorg Chim Acta* 2018;470:373-378.

(57) Bergemann N, Pistidda C, Milanese C, Aramini M, Huotari S, Nolis P, et al. A hydride composite featuring mutual destabilisation and reversible boron exchange: $Ca(BH_4)_2 \cdot Mg_2NiH_4$. *J Mater Chem A* 2018;6(37):17929-17946.

(58) Payandeh Gharibdoust S, Heere M, Nervi C, Sørby MH, Hauback BC, Jensen TR. Synthesis, structure, and polymorphic transitions of praseodymium(iii) and neodymium(iii) borohydride, $Pr(BH_4)_3$ and $Nd(BH_4)_3$. *Dalton Trans* 2018;47(25):8307-8319.

(59) Cerreia Vioglio P, Szell PMJ, Chierotti MR, Gobetto R, Bryce DL. $79/81Br$ nuclear quadrupole resonance spectroscopic characterization of halogen bonds in supramolecular assemblies. *Chem Sci* 2018;9(20):4555-4561.

(60) Sun C, Rotundo L, Garino C, Nencini L, Yoon SS, Gobetto R, et al. Electrochemical CO_2 Reduction at Glassy Carbon Electrodes Functionalized by MnI and ReI Organometallic Complexes. *ChemPhysChem* 2017;18(22):3219-3229.

(61) Bucci A, Dunn S, Bellachioma G, Menendez Rodriguez G, Zuccaccia C, Nervi C, et al. A Single Organoiridium Complex Generating Highly Active Catalysts for both Water Oxidation and $NAD^+/NADH$ Transformations. *ACS Catal* 2017;7(11):7788-7796.

(62) Bordignon S, Cerreia Vioglio P, Priola E, Voinovich D, Gobetto R, Nishiyama Y, et al. Engineering Codrug Solid Forms: Mechanochemical Synthesis of an Indomethacin-Caffeine System. *Cryst Growth Des* 2017;17(11):5744-5752.

(63) Kumar V, Pilati T, Quici S, Chierotti MR, Nervi C, Gobetto R, et al. Proton in a Confined Space: Structural Studies of $H^+ \cdot$ Crypt-111 Iodide and Some Halogen-Bonded Derivatives. *Chem Eur J* 2017;23(58):14462-14468.

(64) Goni MA, Rosenberg E, Gobetto R, Chierotti M. Dehydrogenative coupling of alcohols to esters on a silica polyamine composite by immobilized PNN and PONOP pincer complexes of ruthenium. *J Organomet Chem* 2017;845:213-228.

(65) Spinelli F, Dichiarante E, Curzi M, Giaffreda SL, Chierotti MR, Gobetto R, et al. Molecular Salts of the Antidepressant Venlafaxine: An Effective Route to Solubility Properties Modifications. *Cryst Growth Des* 2017;17(8):4270-4279.

(66) Cerreia Vioglio P, Chierotti MR, Gobetto R. Pharmaceutical aspects of salt and cocrystal forms of APIs and characterization challenges. *Adv Drug Deliv Rev* 2017;117:86-110.

(67) Volpi G, Garino C, Priola E, Diana E, Gobetto R, Buscaino R, et al. Facile synthesis of novel blue light and large Stoke shift emitting tetradentate polyazines based on imidazo[1,5-

a]pyridine ? Part 2. Dyes Pigm 2017;143:284-290.

(68) Dubey A, Nencini L, Fayzullin RR, Nervi C, Khusnutdinova JR. Bio-Inspired Mn(I) Complexes for the Hydrogenation of CO₂ to Formate and Formamide. ACS Catal 2017;7(6):3864-3868.

(69) Wolczyk A, Paik B, Sato T, Nervi C, Brighi M, Gharibdoust SP, et al. Li₅(BH₄)₃NH: Lithium-Rich Mixed Anion Complex Hydride. J Phys Chem C 2017;121(21):11069-11075.

(70) Mackenzie CFR, Bock S, Lim C-, Skelton BW, Nervi C, Wild DA, et al. Coordinating Tectons. Experimental and Computational Infrared Data as Tools to Identify Conformational Isomers and Explore Electronic Structures of 4-Ethynyl-2,2'-bipyridine Complexes. Organometallics 2017;36(10):1946-1961.

(71) Chierotti MR, Amin M, Hassan YS, Haikal RR, Garino C, Alkordi MH. Combined Solid-State NMR and Computational Approach for Probing the CO₂ Binding Sites in a Porous-Organic Polymer. J Phys Chem C 2017;121(16):8850-8856.

(72) Carletta A, Spinelli F, d'Agostino S, Ventura B, Chierotti MR, Gobetto R, et al. Halogen-Bond Effects on the Thermo- and Photochromic Behaviour of Anil-Based Molecular Co-crystals. Chem Eur J 2017;23(22):5317-5329.

(73) Franco F, Cometto C, Nencini L, Barolo C, Sordello F, Minero C, et al. Local Proton Source in Electrocatalytic CO₂ Reduction with [Mn(bpy[?]R)(CO)₃Br] Complexes. Chem Eur J 2017;23(20):4782-4793.

(74) Lazzarini A, Pellegrini R, Piovano A, Rudi[?] S, Castan-Guerrero C, Torelli P, et al. The effect of surface chemistry on the performances of Pd-based catalysts supported on activated carbons. Catal Sci Technolog 2017;7(18):4162-4172.

(75) Pagano P, Pelagatti P, Bacchi A, Chierotti MR, Bourne SA, Mehla G. Sorption properties toward environmentally important VOCs of half-sandwich Ru(II) complexes containing perylene bisimide ligands. Inorg Nano Metal Chem 2017;47(3):427-432.

(76) Parisotto S, Lace B, Artuso E, Lombardi C, Deagostino A, Scudu R, et al. Heck functionalization of an asymmetric aza-BODIPY core: synthesis of far-red infrared probes for bioimaging applications. Org Biomol Chem 2017;15(4):884-893.

(77) Dichiarante V, Tirotta I, Catalano L, Terraneo G, Raffaini G, Chierotti MR, et al. Superfluorinated and NIR-luminescent gold nanoclusters. Chem Commun 2017;53(3):621-624.

(78) Golob S, Perry M, Lusi M, Chierotti MR, Grabnar I, Lassiani L, et al. Improving Biopharmaceutical Properties of Vinpocetine Through Cocrystallization. J Pharm Sci 2016;105(12):3626-3633.

(79) Cerreia Vioglio P, Catalano L, Vasylyeva V, Nervi C, Chierotti MR, Resnati G, et al. Natural Abundance ¹⁵N and ¹³C Solid-State NMR Chemical Shifts: High Sensitivity Probes of the Halogen Bond Geometry. Chem Eur J 2016;22(47):16819-16828.

(80) Ruggiero E, Garino C, Mareque-Rivas JC, Habtemariam A, Salassa L. Corrigendum to: Upconverting Nanoparticles Prompt Remote Near-Infrared Photoactivation of Ru(II)-Arene Complexes (Chem. Eur. J., (2016), 22, (2801-2811), 10.1002/chem.201503991). Chem Eur J 2016;22(37):12963-12964.

(81) Wolczyk A, Pinatel ER, Chierotti MR, Nervi C, Gobetto R, Baricco M. Solid-state NMR and thermodynamic investigations on LiBH₄[sbnd]LiNH₂ system. Int J Hydrogen Energy 2016;41(32):14475-14483.

(82) Priola E, Bonometti E, Rabezzana R, Buscaino R, Chierotti MR, Operti L, et al. [Ag(PPh₃)₄][(PPh₃)CdCl₃], the first monomeric trichlorocadmate complex bonded to a phosphorus ligand: A structural and spectroscopic study in solution and solid state. Inorg Chem Commun 2016;70:35-40.

(83) Gumbert SD, Körbitzer M, Alig E, Schmidt MU, Chierotti MR, Gobetto R, et al. Crystal structure and tautomerism of Pigment Yellow 138 determined by X-ray powder diffraction and

solid-state NMR. *Dyes Pigm* 2016;131:364-372.

(84) Lee JG, Kim D-, Lee J-, Kim M-, An S, Jo HS, et al. Scalable Binder-Free Supersonic Cold Spraying of Nanotextured Cupric Oxide (CuO) Films as Efficient Photocathodes. *ACS Appl Mater Interfaces* 2016;8(24):15406-15414.

(85) Cabeza JA, García-Álvarez P, Gobetto R, González-Álvarez L, Nervi C, Pérez-Carreño E, et al. (L = Amidinatogermylene): Reductive Dimerization, Carbonyl Substitution, and Hydrolysis Reactions. *Organometallics* 2016;35(11):1761-1770.

(86) Masala A, Grifasi F, Atzori C, Vitillo JG, Mino L, Bonino F, et al. CO₂ Adsorption Sites in UTSA-16: Multitechnique Approach. *J Phys Chem C* 2016;120(22):12068-12074.

(87) Grifasi F, Priola E, Chierotti MR, Diana E, Garino C, Gobetto R. Vibrational?Structural Combined Study into Luminescent Mixed Copper(I)/Copper(II) Cyanide Coordination Polymers. *Eur J Inorg Chem* 2016;2016(18):2975-2983.

(88) Volpi G, Garino C, Conterosito E, Barolo C, Gobetto R, Viscardi G. Facile synthesis of novel blue light and large Stoke shift emitting tetradentate polyazines based on imidazo[1,5-a]pyridine. *Dyes Pigm* 2016;128:96-100.

(89) Vasylyeva V, Catalano L, Nervi C, Gobetto R, Metrangolo P, Resnati G. Characteristic redshift and intensity enhancement as far-IR fingerprints of the halogen bond involving aromatic donors. *Crystengcomm* 2016;18(13):2247-2250.

(90) Parrino F, Deiana C, Chierotti MR, Martra G, Palmisano L. Formation of dibutyl carbonate and butylcarbamate via CO₂ insertion in titanium(IV) butoxide and reaction with n-butylamine This work is dedicated to the memory of Prof. M.D. Grillone and Prof. M. Schiavello. *J CO₂ Util* 2016;13:90-94.

(91) Ruggiero E, Garino C, Mareque-Rivas JC, Habtemariam A, Salassa L. Upconverting Nanoparticles Prompt Remote Near-Infrared Photoactivation of Ru(II)-Arene Complexes. *Chem Eur J* 2016;22(8):2801-2811.

(92) Garino C, Terenzi A, Barone G, Salassa L. Teaching Inorganic Photophysics and Photochemistry with Three Ruthenium(II) Polypyridyl Complexes: A Computer-Based Exercise. *J Chem Educ* 2016;93(2):292-298.

(93) Cerreia Vioglio P, Chierotti MR, Gobetto R. Solid-state nuclear magnetic resonance as a tool for investigating the halogen bond. *Crystengcomm* 2016;18(48):9173-9184.

(94) Santoru A, Pistidda C, Sørby MH, Chierotti MR, Garroni S, Pinatel E, et al. KNH₂-KH: A metal amide-hydride solid solution. *Chem Commun* 2016;52(79):11760-11763.

(95) Sun C, Prosperini S, Quagliotto P, Viscardi G, Yoon SS, Gobetto R, et al. Electrocatalytic reduction of CO₂ by thiophene-substituted rhenium(i) complexes and by their polymerized films. *Dalton Trans* 2016;45(37):14678-14688.

(96) Sun C, Gobetto R, Nervi C. Recent advances in catalytic CO₂ reduction by organometal complexes anchored on modified electrodes. *New J Chem* 2016;40(7):5656-5661.

(97) Lazzarini A, Piovano A, Pellegrini R, Leofanti G, Agostini G, Rudi? S, et al. A comprehensive approach to investigate the structural and surface properties of activated carbons and related Pd-based catalysts. *Catal Sci Technol* 2016;6(13):4910-4922.

(98) Maini L, Braga D, Grepioni F, Lampronti GI, Gaglioti K, Gobetto R, et al. From isomorphous to "anisomorphous" ionic co-crystals of barbituric acid upon dehydration and return. *Crystengcomm* 2016;18(24):4651-4657.

(99) Weber MD, Garino C, Volpi G, Casamassa E, Milanesio M, Barolo C, et al. Origin of a counterintuitive yellow light-emitting electrochemical cell based on a blue-emitting heteroleptic copper(i) complex. *Dalton Trans* 2016;45(21):8984-8993.

(100) Pettinari R, Marchetti F, Pettinari C, Condello F, Skelton BW, White AH, et al. Erratum: Self-assembly of arene ruthenium acylpyrazolone fragments to tetranuclear metallacycles. Molecular structures and solid-state ¹⁵N CPMAS NMR correlations (*Dalton Transactions* (2016) 45 (3974-3982)). *Dalton Trans* 2016;45(12):5404.

- (101) Bergemann N, Pistidda C, Milanese C, Emmmler T, Karimi F, Chaudhary A-, et al. $\text{Ca}(\text{BH}_4)_2\text{-Mg}_2\text{NiH}_4$: On the pathway to a $\text{Ca}(\text{BH}_4)_2$ system with a reversible hydrogen cycle. *Chem Commun* 2016;52(26):4836-4839.
- (102) Bosca F, Tagliapietra S, Garino C, Cravotto G, Barge A. Extensive methodology screening of meso-tetrakis-(furan-2-yl)-porphyrin microwave-assisted synthesis. *New J Chem* 2016;40(3):2574-2581.
- (103) Pettinari R, Marchetti F, Pettinari C, Condello F, Skelton BW, White AH, et al. Self-assembly of arene ruthenium acylpyrazolone fragments to tetranuclear metallacycles. Molecular structures and solid-state ^{15}N CPMAS NMR correlations. *Dalton Trans* 2016;45(9):3974-3982.
- (104) Navas F, Perfahl S, Garino C, Salassa L, Novakova O, Navarro-Ranninger C, et al. Increasing DNA reactivity and in vitro antitumor activity of trans diiodido $\text{Pt}(\text{II})$ complexes with UVA light. *J Inorg Biochem* 2015;153:211-218.
- (105) Cerutti E, Viale A, Nervi C, Gobetto R, Aime S. The Role of the Amino Protecting Group during Parahydrogenation of Protected Dehydroamino Acids. *J Phys Chem A* 2015;119(46):11271-11279.
- (106) Raula M, Ganor G, Saganovich M, Zeiri O, Wang Y, Chierotti MR, et al. Polyoxometalate Complexes of Anatase-Titanium Dioxide Cores in Water. *Angew Chem Int Ed* 2015;54(42):12416-12421.
- (107) Mali MG, Yoon H, Joshi BN, Park H, Al-Deyab SS, Lim DC, et al. Enhanced Photoelectrochemical Solar Water Splitting Using a Platinum-Decorated $\text{CIGS}/\text{CdS}/\text{ZnO}$ Photocathode. *ACS Appl Mater Interfaces* 2015;7(38):21619-21625.
- (108) Franco F, Cometto C, Sordello F, Minero C, Nencini L, Fiedler J, et al. Electrochemical Reduction of CO_2 by $\text{M}(\text{CO})_4(\text{diimine})$ Complexes ($\text{M} = \text{Mo}, \text{W}$): Catalytic Activity Improved by 2,2'-Dipyridylamine. *ChemElectroChem* 2015;2(9):1372-1379.
- (109) Gallo V, Intini N, Mastroilli P, Latronico M, Scapicchio P, Triggiani M, et al. Performance Assessment in Fingerprinting and Multi Component Quantitative NMR Analyses. *Anal Chem* 2015;87(13):6709-6717.
- (110) Grifasi F, Chierotti MR, Garino C, Gobetto R, Priola E, Diana E, et al. Solvent-free synthesis of luminescent copper(I) coordination polymers with thiourea derivatives. *Cryst Growth Des* 2015;15(6):2929-2939.
- (111) Habtemariam A, Garino C, Ruggiero E, Castro SA-, Mareque-Rivas JC, Salassa L. Photorelease of pyridyl esters in organometallic $\text{Ru}(\text{II})$ arene complexes. *Molecules* 2015;20(4):7276-7291.
- (112) Grifasi F, Chierotti MR, Gaglioti K, Gobetto R, Maini L, Braga D, et al. Using salt cocrystals to improve the solubility of niclosamide. *Cryst Growth Des* 2015;15(4):1939-1948.
- (113) Betanzos-Lara S, Chmel NP, Zimmerman MT, Barrón-Sosa LR, Garino C, Salassa L, et al. Redox-active and DNA-binding coordination complexes of clotrimazole. *Dalton Trans* 2015;44(8):3673-3685.
- (114) Laskay ÜA, Garino C, Tsybin YO, Salassa L, Casini A. Gold finger formation studied by high-resolution mass spectrometry and in silico methods. *Chem Commun* 2015;51(9):1612-1615.
- (115) Marchetti F, Palmucci J, Pettinari C, Pettinari R, Condello F, Ferraro S, et al. Novel composite plastics containing silver(I) acylpyrazolonato additives display potent antimicrobial activity by contact. *Chem Eur J* 2015;21(2):836-850.
- (116) Franco F, Cometto C, Garino C, Minero C, Sordello F, Nervi C, et al. Photo- and electrocatalytic reduction of CO_2 by $[\text{Re}(\text{CO})_3\{\text{diimine}-(4\text{-piperidinyl-1,8-naphthalimide})\}\text{Cl}]$ complexes. *Eur J Inorg Chem* 2015;2015(2):296-304.
- (117) Rongé J, Bosserez T, Martel D, Nervi C, Boarino L, Taulelle F, et al. Monolithic cells for solar fuels. *Chem Soc Rev* 2014;43(23):7963-7981.

- (118) Franco F, Cometto C, Vallana FF, Sordello F, Priola E, Minero C, et al. A local proton source in a [Mn(bpy-R)(CO)₃Br]-type redox catalyst enables CO₂ reduction even in the absence of Brønsted acids. *Chem Commun* 2014;50(93):14670-14673.
- (119) Garino C, Borfecchia E, Gobetto R, van Bokhoven JA, Lamberti C. Determination of the electronic and structural configuration of coordination compounds by synchrotron-radiation techniques. *Coord Chem Rev* 2014;277:130-186.
- (120) Gaglioti K, Chierotti MR, Grifasi F, Gobetto R, Griesser UJ, Hasa D, et al. Improvement of the water solubility of tolfenamic acid by new multiple-component crystals produced by mechanochemical methods. *Crystengcomm* 2014;16(35):8252-8262.
- (121) Bacchi A, Brillante A, Crocco D, Chierotti MR, Della Valle RG, Girlando A, et al. Exploration of the polymorph landscape for 1,1,4,4-tetraphenyl-1,3-butadiene. *Crystengcomm* 2014;16(35):8205-8213.
- (122) Baldrighi M, Bartesaghi D, Cavallo G, Chierotti MR, Gobetto R, Metrangolo P, et al. Polymorphs and co-crystals of haloprogin: An antifungal agent. *Crystengcomm* 2014;16(26):5897-5904.
- (123) Borfecchia E, Garino C, Gianolio D, Salassa L, Gobetto R, Lamberti C. Monitoring excited state dynamics in cis-[Ru(bpy)₂(py)₂]²⁺ by ultrafast synchrotron techniques. *Catal Today* 2014;229:34-45.
- (124) Blanco-Rodríguez AM, Kvapilová H, Sýkora J, Towrie M, Nervi C, Volpi G, et al. Photophysics of singlet and triplet intraligand excited states in [ReCl(CO)₃(1-(2-pyridyl)-imidazo[1,5-*b*]pyridine)] complexes. *J Am Chem Soc* 2014;136(16):5963-5973.
- (125) Reineri F, Aime S, Gobetto R, Nervi C. Role of the reaction intermediates in determining PHIP (para-hydrogen induced polarization) effect in the hydrogenation of acetylene dicarboxylic acid with the complex [Rh(dppb)]⁺ (dppb: 1,4-bis(diphenylphosphino) butane). *J Chem Phys* 2014;140(9).
- (126) Chierotti MR, Gobetto R, Nervi C, Bacchi A, Pelagatti P, Colombo V, et al. Probing hydrogen bond networks in half-sandwich Ru(II) building blocks by a combined 1H DQ CRAMPS solid-state NMR, XRPD, and DFT approach. *Inorg Chem* 2014;53(1):139-146.
- (127) Chierotti MR, Gobetto R. NMR crystallography: The use of dipolar interactions in polymorph and co-crystal investigation. *Crystengcomm* 2013;15(43):8599-8612.
- (128) Chierotti MR, Rossin A, Gobetto R, Peruzzini M. Interaction between a transition-metal fluoride and a transition-metal hydride: Water-mediated hydrofluoric acid evolution following fluoride solvation. *Inorg Chem* 2013;52(21):12616-12623.
- (129) Chierotti MR, Gaglioti K, Gobetto R, Braga D, Grepioni F, Maini L. From molecular crystals to salt co-crystals of barbituric acid via the carbonate ion and an improvement of the solid state properties. *Crystengcomm* 2013;15(37):7598-7605.
- (130) Lomachenko KA, Garino C, Gallo E, Gianolio D, Gobetto R, Glatzel P, et al. High energy resolution core-level X-ray spectroscopy for electronic and structural characterization of osmium compounds. *Phys Chem Chem Phys* 2013;15(38):16152-16159.
- (131) Weber L, Kahlert J, Brockhinke R, Böhling L, Halama J, Brockhinke A, et al. C,C'-Bis(benzodiazaborolyl)dicarba-closo-dodecaboranes: Synthesis, structures, photophysics and electrochemistry. *Dalton Trans* 2013;42(30):10982-10996.
- (132) Garino C, Salassa L. The photochemistry of transition metal complexes using density functional theory. *Philos Trans R Soc A Math Phys Eng Sci* 2013;371(1995).
- (133) Borfecchia E, Garino C, Salassa L, Lamberti C. Synchrotron ultrafast techniques for photoactive transition metal complexes. *Philos Trans R Soc A Math Phys Eng Sci* 2013;371(1995).
- (134) Braga D, Chelazzi L, Grepioni F, Dichiarante E, Chierotti MR, Gobetto R. Molecular salts of anesthetic lidocaine with dicarboxylic acids: Solid-state properties and a combined structural and spectroscopic study. *Cryst Growth Des* 2013;13(6):2564-2572.

- (135) Tolia C, Papadopoulos AN, Raptopoulou CP, Psycharis V, Garino C, Salassa L, et al. Copper(II) interacting with the non-steroidal antiinflammatory drug flufenamic acid: Structure, antioxidant activity and binding to DNA and albumins. *J Inorg Biochem* 2013;123:53-65.
- (136) Franco F, Baricco M, Chierotti MR, Gobetto R, Nervi C. Coupling solid-state NMR with GIPAW ab initio calculations in metal hydrides and borohydrides. *J Phys Chem C* 2013;117(19):9991-9998.
- (137) Baldrighi M, Cavallo G, Chierotti MR, Gobetto R, Metrangolo P, Pilati T, et al. Halogen bonding and pharmaceutical cocrystals: The case of a widely used preservative. *Mol Pharm* 2013;10(5):1760-1772.
- (138) Hasa D, Perissutti B, Dall'Acqua S, Chierotti MR, Gobetto R, Grabnar I, et al. Rationale of using Vinca minor Linne dry extract phytocomplex as a vincamine's oral bioavailability enhancer. *Eur J Pharm Biopharm* 2013;84(1):138-144.
- (139) Persson R, Stchedroff MJ, Gobetto R, Carrano CJ, Richmond MG, Monari M, et al. Synthesis, characterization, and dynamic behaviour of trisium clusters containing the tridentate ligand {Ph₂PCH₂CH₂2}S (PSP). *Eur J Inorg Chem* 2013(13):2447-2459.
- (140) Borfecchia E, Garino C, Salassa L, Rui T, Gianolio D, Zhang X, et al. X-ray transient absorption structural characterization of the 3MLCT triplet excited state of cis-[Ru(bpy)₂(py)₂]²⁺. *J Chem Soc Dalton Trans* 2013;42(18):6564-6571.
- (141) Dosio F, Stella B, Ferrero A, Garino C, Zonari D, Arpicco S, et al. Ruthenium polypyridyl squalene derivative: A novel self-assembling lipophilic probe for cellular imaging. *Int J Pharm* 2013;440(2):221-228.
- (142) Borfecchia E, Agostini G, Bordiga S, Groppo E, Garino C, Gobetto R, et al. Structural and electronic characterization of nanosized inorganic materials by X-ray absorption spectroscopies. *Inorganic Micro- and Nanomaterials: Synthesis and Characterization*; 2013. p. 93-136.
- (143) Hasa D, Perissutti B, Grassi M, Chierotti MR, Gobetto R, Ferrario V, et al. Mechanochemical activation of vincamine mediated by linear polymers: Assessment of some "critical" steps. *Eur J Pharm Sci* 2013;50(1):56-68.
- (144) The use of differential EXAFS analysis for the determination of small structural differences between two closely-related ruthenium complexes. *Journal of Physics: Conference Series*; 2013.
- (145) Aghemo C, Albertino A, Gobetto R, Lussiana C, De Maria A, Isocrono D. Piedmont olive oils: Compositional characterization and discrimination from oils from other regions. *Eur J Lipid Sci Technol* 2012;114(12):1409-1416.
- (146) Garino C, Gallo E, Smolentsev N, Glatzel P, Gobetto R, Lamberti C, et al. Resonant X-ray emission spectroscopy reveals d-d ligand-field states involved in the self-assembly of a square-planar platinum complex. *Phys Chem Chem Phys* 2012;14(44):15278-15281.
- (147) Chierotti MR, Gaglioti K, Gobetto R, Barbero M, Nervi C. Mechanism of the solvent-free reactions between indole derivatives and 4-nitrobenzaldehyde studied by solid-state NMR and DFT calculations. *Crystengcomm* 2012;14(20):6732-6737.
- (148) Hasa D, Perissutti B, Chierotti MR, Gobetto R, Grabnar I, Bonifacio A, et al. Mechanochemically induced disordered structures of vincamine: The different mediation of two cross-linked polymers. *Int J Pharm* 2012;436(1-2):41-57.
- (149) Ellena S, Viale A, Gobetto R, Aime S. Para-hydrogen induced polarization of Si-29 NMR resonances as a potentially useful tool for analytical applications. *Magn Reson Chem* 2012;50(8):529-533.
- (150) Reineri F, Viale A, Ellena S, Alberti D, Boi T, Giovenzana GB, et al. ¹⁵N magnetic resonance hyperpolarization via the reaction of parahydrogen with ¹⁵N-Propargylcholine. *J Am Chem Soc* 2012;134(27):11146-11152.
- (151) Rossin A, Chierotti MR, Giambastiani G, Gobetto R, Peruzzini M. Amine-templated

- polymeric Mg formates: Crystalline scaffolds exhibiting extensive hydrogen bonding. *Crystengcomm* 2012;14(13):4454-4460.
- (152) Volpi G, Garino C, Nervi C. Exploring synthetic pathways to cationic heteroleptic cyclometalated iridium complexes derived from dipyridylketone. *Dalton Trans* 2012;41(23):7098-7108.
- (153) Többsens DM, Glinneman J, Chierotti MR, Van De Streek J, Sheptyakov D. On the high-temperature phase of barbituric acid. *Crystengcomm* 2012;14(9):3046-3055.
- (154) Masic A, Chierotti MR, Gobetto R, Martra G, Rabin I, Coluccia S. Solid-state and unilateral NMR study of deterioration of a Dead Sea Scroll fragment. *Anal Bioanal Chem* 2012;402(4):1551-1557.
- (155) Volpi G, Garino C, Breuza E, Gobetto R, Nervi C. Dipyridylketone as a versatile ligand precursor for new cationic heteroleptic cyclometalated iridium complexes. *Dalton Trans* 2012;41(3):1065-1073.
- (156) Diana E, Chierotti MR, Marchese EMC, Croce G, Milanesio M, Stanghellini PL. Blue and red shift hydrogen bonds in crystalline cobaltocinium complexes. *New J Chem* 2012;36(4):1099-1107.
- (157) Giustetto R, Seenivasan K, Bonino F, Ricchiardi G, Bordiga S, Chierotti MR, et al. Host/guest interactions in a sepiolite-based maya blue pigment: A spectroscopic study. *J Phys Chem C* 2011;115(34):16764-16776.
- (158) Aghemo C, Albertino A, Gobetto R, Spanna F. Correlation between isotopic and meteorological parameters in Italian wines: A local-scale approach. *J Sci Food Agric* 2011;91(11):2088-2094.
- (159) Schmidt MU, Brüning J, Glinnemann J, Hützler MW, Mörschel P, Ivashevskaya SN, et al. The thermodynamically stable form of solid barbituric acid: The enol tautomer. *Angew Chem Int Ed* 2011;50(34):7924-7926.
- (160) Hasa D, Voinovich D, Perissutti B, Grassi M, Bonifacio A, Sergo V, et al. Enhanced oral bioavailability of vinpocetine through mechanochemical salt formation: Physico-chemical characterization and in vivo studies. *Pharm Res* 2011;28(8):1870-1883.
- (161) Reineri F, Viale A, Ellena S, Boi T, Daniele V, Gobetto R, et al. Use of labile precursors for the generation of hyperpolarized molecules from hydrogenation with parahydrogen and aqueous-phase extraction. *Angew Chem Int Ed* 2011;50(32):7350-7353.
- (162) Bacchi A, Cantoni G, Chierotti MR, Girlando A, Gobetto R, Lapadula G, et al. Water vapour uptake and extrusion by a crystalline metallorganic solid based on half-sandwich Ru(II) building-blocks. *Crystengcomm* 2011;13(13):4365-4375.
- (163) Reineri F, Viale A, Dastrù W, Gobetto R, Aime S. How to design ¹³C para-hydrogen-induced polarization experiments for MRI applications. *Contrast Media Mol Imaging* 2011;6(2):77-84.
- (164) Levina VA, Rossin A, Belkova NV, Chierotti MR, Epstein LM, Filippov OA, et al. Acid-base interaction between transition-metal hydrides: Dihydrogen bonding and dihydrogen evolution. *Angew Chem Int Ed* 2011;50(6):1367-1370.
- (165) Malaj L, Censi R, Capsoni D, Pellegrino L, Bini M, Ferrari S, et al. Characterization of nicergoline polymorphs crystallized in several organic solvents. *J Pharm Sci* 2011;100(7):2610-2622.
- (166) Salassa L, Ruiu T, Garino C, Pizarro AM, Bardelli F, Gianolio D, et al. EXAFS, DFT, light-induced nucleobase binding, and cytotoxicity of the photoactive complex cis-[Ru(bpy)₂(CO)Cl]⁺. *Organometallics* 2010;29(24):6703-6710.
- (167) Pettinari R, Pettinari C, Marchetti F, Gobetto R, Nervi C, Chierotti MR, et al. Solid-state ¹⁵N CPMAS NMR and computational analysis of ligand hapticity in rhodium(*n*-diene) poly(pyrazolyl)borate complexes. *Inorg Chem* 2010;49(23):11205-11215.
- (168) Salassa L, Borfecchia E, Ruiu T, Garino C, Gianolio D, Gobetto R, et al. Photo-induced

- pyridine substitution in cis -[Ru(bpy)2(py) 2]Cl2: A snapshot by time-resolved X-ray solution scattering. *Inorg Chem* 2010;49(23):11240-11248.
- (169) Sandroni M, Volpi G, Fiedler J, Buscaino R, Viscardi G, Milone L, et al. Iridium and ruthenium complexes covalently bonded to carbon surfaces by means of electrochemical oxidation of aromatic amines. *Catal Today* 2010;158(1-2):22-28.
- (170) Braga D, Grepioni F, Maini L, Prosperi S, Gobetto R, Chierotti MR. From unexpected reactions to a new family of ionic co-crystals: The case of barbituric acid with alkali bromides and caesium iodide. *Chem Commun* 2010;46(41):7715-7717.
- (171) Braga D, Dichiarante E, Palladino G, Grepioni F, Chierotti MR, Gobetto R, et al. Remarkable reversal of melting point alternation by co-crystallization. *Crystengcomm* 2010;12(11):3534-3536.
- (172) Malaj L, Censi R, Mozzicafreddo M, Pellegrino L, Angeletti M, Gobetto R, et al. Influence of relative humidity on the interaction between different aryl propionic acid derivatives and poly(vinylpyrrolidone) K30: Evaluation of the effect on drug bioavailability. *Int J Pharm* 2010;398(1-2):61-72.
- (173) Reineri F, Santelia D, Viale A, Cerutti E, Poggi L, Tichy T, et al. Para-hydrogenated glucose derivatives as potential ¹³C- hyperpolarized probes for magnetic resonance imaging. *J Am Chem Soc* 2010;132(20):7186-7193.
- (174) Persson R, Stchedroff MJ, Uebersezig B, Gobetto R, Steed JW, Prince PD, et al. Synthesis, characterization, and novel fluxional mechanisms of triosmium clusters containing the highly flexible ligand Ph2PC 2H4SC2H4SC2H 4PPh2 (PSSP). *Organometallics* 2010;29(10):2223-2233.
- (175) Chierotti MR, Ferrero L, Garino N, Gobetto R, Pellegrino L, Braga D, et al. The richest collection of tautomeric polymorphs: The case of 2-thiobarbituric acid. *Chem Eur J* 2010;16(14):4347-4358.
- (176) Mastrolilli P, Latronico M, Gallo V, Polini F, Re N, Marrone A, et al. Facile activation of dihydrogen by a phosphinito-bridged Pt(II)-Pt(II) complex. *J Am Chem Soc* 2010;132(13):4752-4765.
- (177) Ruiu T, Garino C, Salassa L, Pizarro AM, Nervi C, Gobetto R, et al. Spectroscopic and computational study of ligand photodissociation from [Ru(dipyrido[3,2-a:3'-c]phenazine)(4-aminopyridine) 4]2+. *Eur J Inorg Chem* 2010(8):1186-1195.
- (178) Di Nicola C, Effendy, Marchetti F, Nervi C, Pettinari C, Robinson WT, et al. Syntheses, structures and spectroscopy of uni- and bi-dentate nitrogen base complexes of silver(I) trifluoromethanesulfonate. *Dalton Trans* 2010;39(3):908-922.
- (179) Allen J, Rosenberg E, Chierotti MR, Gobetto R. Surface oxidation of Co2+ and its dependence on ligand coordination number in silica polyamine composites. *Inorg Chim Acta* 2010;363(3):617-624.
- (180) Pellegrini R, Leofanti G, Agostini G, Groppo E, Chierotti MR, Gobetto R, et al. Pd supported catalysts: Evolution of the support during Pd deposition and K doping. *Stud Surf Sci Catal* 2010;175:433-436.
- (181) Bettini R, Menabeni R, Tozzi R, Pranzo MB, Pasquali I, Chierotti MR, et al. Didanosine polymorphism in a supercritical antisolvent process. *J Pharm Sci* 2010;99(4):1855-1870.
- (182) Ghosh S, Hogarth G, Kabir SE, Miah AL, Salassa L, Sultana S, et al. Synthesis and molecular structure of [Fe4(CO) 10(η4-O)(η2-dppn)] dppn = 1,8-bis(diphenylphosphino)naphthalene: A missing piece in the [M 4(CO)12(η4-E)]n- (M = Fe, Ru; E = C, N, O; n = 2, 1, 0) puzzle. *Organometallics* 2009;28(24):7047-7052.
- (183) Boffa V, Montoneri E, Mendichi R, Chierotti MR, Gobetto R, Medana C, et al. Urban wastes as sources of valuable chemicals for sustainable development: Surfactants, dispersing polymers and polyelectrolytes of biological origin. *Int J Sustainable Dev Plann* 2009;4(4):291-308.

- (184) Viale A, Reineri F, Santelia D, Cerutti E, Ellena S, Gobetto R, et al. Hyperpolarized agents for advanced MRI investigations. *Q J Nucl Med Mol Imaging* 2009;53(6):604-617.
- (185) Fox MA, Nervi C, Crivello A, Batsanov AS, Howard JAK, Wade K, et al. Structural, spectroscopic, electrochemical and computational studies of C,C'-diaryl-ortho-carboranes, 1-(4-XC₆H₄)-2-Ph-1,2-C₂B₁₀H₁₀ (X = H, F, OMe, NMe₂, NH₂, OH and O⁻). *J Solid State Electrochem* 2009;13(10):1483-1495.
- (186) Angelini A, Aresta M, Dibenedetto A, Pastore C, Quaranta E, Chierotti MR, et al. Synthesis and X-ray characterization of [RhCl(C₂H₄)(PiPr₃)]₂. Multinuclear NMR and DFT investigation of its solid-state and solution reaction with dihydrogen. Ethene and propene hydrogenation by the solid Rh-hydrides. *Dalton Trans* 2009(38):7924-7933.
- (187) Angelini A, Aresta M, Dibenedetto A, Pastore C, Quaranta E, Chierotti MR, et al. Synthesis and X-ray characterization of [RhCl(C₂H₄)(PiPr₃)]₂. Multinuclear NMR and DFT investigation of its solid-state and solution reaction with dihydrogen. Ethene and propene hydrogenation by the solid Rh-hydrides. *J Chem Soc Dalton Trans* 2009(38):7924-7933.
- (188) Reineri F, Santelia D, Gobetto R, Aime S. Effect of low and zero magnetic field on the hyperpolarization lifetime in parahydrogenated perdeuterated molecules. *J Magn Reson* 2009;200(1):15-20.
- (189) Volpi G, Garino C, Salassa L, Fiedler J, Hardcastle KI, Gobetto R, et al. Cationic Heteroleptic Cyclometalated Iridium Complexes with 1-Pyridylimidazo[1,5-*a*]pyridine Ligands: Exploitation of an Efficient Intersystem Crossing. *Chem Eur J* 2009;15(26):6415-6427.
- (190) Chierotti MR, Gobetto R. Solid-state NMR investigation of ligand mobility and reactivity in transition metal complexes. *Eur J Inorg Chem* 2009(18):2581-2597.
- (191) Crivello A, Nervi C, Gobetto R, Geninatti Cich S, Szabo I, Barge A, et al. Towards improved boron neutron capture therapy agents: Evaluation of in vitro cellular uptake of a glutamine-functionalized carborane. *J Biol Inorg Chem* 2009;14(6):883-890.
- (192) Montoneri E, Boffa V, Savarino P, Perrone DG, Musso G, Mendichi R, et al. Biosurfactants from urban green waste. *ChemSusChem* 2009;2(3):239-247.
- (193) Salassa L, Garino C, Salassa G, Nervi C, Gobetto R, Lamberti C, et al. Ligand-selective photodissociation from [Ru(bpy)(4AP)₂]²⁺: A spectroscopic and computational study. *Inorg Chem* 2009;48(4):1469-1481.
- (194) Albertino A, Barge A, Cravotto G, Genzini L, Gobetto R, Vincenti M. Natural origin of ascorbic acid: Validation by ¹³C NMR and IRMS. *Food Chem* 2009;112(3):715-720.
- (195) Braga D, Grepioni F, Maini L, Polito M, Rubini K, Chierotti MR, et al. Hetero-seeding and solid mixture to obtain new crystalline forms. *Chem Eur J* 2009;15(6):1508-1515.
- (196) Structure of [Ru(bpy)_n(AP)(6-2n)]²⁺ homogeneous complexes: DFT calculation vs. EXAFS. *Journal of Physics: Conference Series*; 2009.
- (197) Gashi Z, Censi R, Malaj L, Gobetto R, Mozzicafreddo M, Angeletti M, et al. Differences in the interaction between aryl propionic acid derivatives and poly(vinylpyrrolidone) K30: A multi-methodological approach. *J Pharm Sci* 2009;98(11):4216-4228.
- (198) Arce AJ, Chierotti MR, De Sanctis Y, Gobetto R, González T, Machado R, et al. Non-aromatic stabilised form of 3,4-difluoropyrrole at triosmium clusters: N-H and C-H versus C-F activation. *Inorg Chim Acta* 2009;362(1):291-294.
- (199) Aime S, Barge A, Crivello A, Deagostino A, Gobetto R, Nervi C, et al. Synthesis of Gd(III)-C-palmitamidomethyl-C'-DOTAMA-C₆-o-carborane: A new dual agent for innovative MRI/BNCT applications. *Org Biomol Chem* 2008;6(23):4460-4466.
- (200) Reineri F, Viale A, Giovenzana G, Santelia D, Dastrù W, Gobetto R, et al. New hyperpolarized contrast agents for ¹³C-MRI from para-hydrogenation of oligooxyethylenic alkynes. *J Am Chem Soc* 2008;130(45):15047-15053.
- (201) Braga D, Palladino G, Polito M, Rubini K, Grepioni F, Chierotti MR, et al. Three polymorphic forms of the co-crystal 4,4'-bipyridine/pimelic acid and their structural, thermal,

- and spectroscopic characterization. *Chem Eur J* 2008;14(32):10149-10159.
- (202) Livraghi S, Chierotti MR, Giamello E, Magnacca G, Paganini MC, Cappelletti G, et al. Nitrogen-doped titanium dioxide active in photocatalytic reactions with visible light: A multi-technique characterization of differently prepared materials. *J Phys Chem C* 2008;112(44):17244-17252.
- (203) Viale A, Santelia D, Napolitano R, Gobetto R, Dastrù W, Aime S. The detection of PHIP effects allows new insights into the mechanism of olefin isomerisation during catalytic hydrogenation. *Eur J Inorg Chem* 2008(28):4348-4351.
- (204) Garino C, Ruii T, Salassa L, Albertino A, Volpi G, Nervi C, et al. Spectroscopic and computational study on new blue emitting ReL(CO) 3Cl complexes containing pyridylimidazo[1,5-a]pyridine ligands. *Eur J Inorg Chem* 2008(23):3587-3591.
- (205) Salassa L, Garino C, Salassa G, Gobetto R, Nervi C. Mechanism of ligand photodissociation in photoactivable [Ru(bpy) 2L2]2+ complexes: A density functional theory study. *J Am Chem Soc* 2008;130(29):9590-9597.
- (206) Montoneri E, Boffa V, Quagliotto PL, Mendichi R, Chierotti MR, Gobetto R, et al. Humic acid-like matter isolated from green urban wastes. Part I: Structure and surfactant properties. *BioResour* 2008;3(1):123-141.
- (207) Chierotti MR, Gobetto R, Pellegrino L, Milone L, Venturello P. Mechanically induced phase change in barbituric acid. *Cryst Growth Des* 2008;8(5):1454-1457.
- (208) Ghiani S, Baroni S, Burgio D, Digilio G, Fukuhara M, Martino P, et al. Characterization of human hair melanin and its degradation products by means of magnetic resonance techniques. *Magn Reson Chem* 2008;46(5):471-479.
- (209) Salassa L, Garino C, Albertino A, Volpi G, Nervi C, Gobetto R, et al. Computational and spectroscopic studies of new rhenium(I) complexes containing pyridylimidazo[1,5-a]pyridine ligands: Charge transfer and dual emission by fine-tuning of excited states. *Organometallics* 2008;27(7):1427-1435.
- (210) Pettinari C, Di Nicola C, Marchetti F, Pettinari R, Skelton BW, Somers N, et al. Synthesis, characterization, spectroscopic and photophysical properties of new [Cu(NCS){(L-N)2 or (L?-N?N)}(PPh3)] complexes (L-N, L?-N?N = Aromatic nitrogen base). *Eur J Inorg Chem* 2008(12):1974-1984.
- (211) Aime S, Chierotti MR, Gobetto R, Masic A, Napolitano F, Canuto HC, et al. Intramolecular host-guest dynamics of FeCp(CO)2X (X = I and CH3) and Mo2Cp2(CO)6 included in β - or γ -cyclodextrin. *Eur J Inorg Chem* 2008(1):152-157.
- (212) Aime S, Dastrù W, Gobetto R, Santelia D, Viale A. Agents for polarization enhancement in MRI. *Handb Exp Pharmacol* 2008;185(PART1):247-272.
- (213) Chierotti MR, Gobetto R. Solid-state NMR studies of weak interactions in supramolecular systems. *Chem Commun* 2008(14):1621-1634.
- (214) Garino C, Gobetto R, Nervi C, Salassa L, Rosenberg E, Ross JBA, et al. Spectroscopic and computational studies of a Ru(II) terpyridine complex: The importance of weak intermolecular forces to photophysical properties. *Inorg Chem* 2007;46(21):8752-8762.
- (215) Braga D, Giaffreda SL, Grepioni F, Chierotti MR, Gobetto R, Palladino G, et al. Solvent effect in a "solvent free" reaction. *Crystengcomm* 2007;9(10):879-881.
- (216) Di Martino P, Censi R, Barthélémy C, Gobetto R, Joiris E, Masic A, et al. Characterization and compaction behaviour of nimesulide crystal forms. *Int J Pharm* 2007;342(1-2):137-144.
- (217) Chierotti MR, Garlaschelli L, Gobetto R, Nervi C, Peli G, Sironi A, et al. An unusual carbonyl chemical shift in a carbonylhexairidium cluster: A combined solid-state NMR and DFT approach. *Eur J Inorg Chem* 2007(22):3477-3483.
- (218) Montoneri E, Viscardi G, Bottigliengo S, Gobetto R, Chierotti MR, Buscaino R, et al. 4-Sulfophenylphosphonic acid: A novel precursor to fabricate polyfunctional acid materials.

Chem Mater 2007;19(10):2671-2678.

(219) Braga D, Chierotti MR, Garino N, Gobetto R, Grepioni F, Polito M, et al. Cis-trans isomerization in crystalline $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\eta^5\text{-CO})(\text{CO})]_2$. Organometallics 2007;26(9):2266-2271.

(220) Parlatti S, Gobetto R, Barolo C, Arrais A, Buscaino R, Medana C, et al. Preparation and application of a β -cyclodextrin-disperse/ reactive dye complex. J Incl Phenom Macrocyclic Chem 2007;57(1-4):463-470.

(221) Albertino A, Garino C, Ghiani S, Gobetto R, Nervi C, Salassa L, et al. Photophysical properties and computational investigations of tricarbonylrhenium(I)[2-(4-methylpyridin-2-yl)benzo[d]-X-azole]L and tricarbonylrhenium(I)[2-(benzo[d]-X-azol-2-yl)-4-methylquinoline]L derivatives (X = N-CH₃, O, or S; L = Cl⁻, pyridine). J Organomet Chem 2007;692(6 SPEC. ISS.):1377-1391.

(222) Braga D, Maini L, Fagnano C, Taddei P, Chierotti MR, Gobetto R. Polymorphism in crystalline cinchomeric acid. Chem Eur J 2007;13(4):1222-1230.

(223) Gobetto R. Solid State NMR. Making Crystals by Design: Methods, Techniques and Applications; 2007. p. 266-292.

(224) Bertolasi V, Boaretto R, Chierotti MR, Gobetto R, Sostero S. Synthesis, characterization and reactivity of new complexes of titanium and zirconium containing a potential tridentate amidinato-cyclopentadienyl ligand. Dalton Trans 2007(44):5179-5189.

(225) Fox MA, Nervi C, Crivello A, Low PJ. Carborane radical anions: Spectroscopic and electronic properties of a carborane radical anion with a $2n + 3$ skeletal electron count. Chem Commun 2007(23):2372-2374.

(226) Braga D, Giaffreda SL, Rubini K, Grepioni F, Chierotti MR, Gobetto R. Making crystals from crystals: Three solvent-free routes to the hydrogen bonded co-crystal between 1,1'-dipyridyl-ferrocene and anthranilic acid. Crystengcomm 2007;9(1):39-45.

(227) Di Martino P, Barthélémy C, Joiris E, Capsoni D, Masic A, Massarotti V, et al. A new tetrahydrated form of sodium naproxen. J Pharm Sci 2007;96(1):156-167.

(228) Bertolasi V, Boaretto R, Chierotti MR, Gobetto R, Sostero S. Synthesis, characterization and reactivity of new complexes of titanium and zirconium containing a potential tridentate amidinato-cyclopentadienyl ligand. J Chem Soc Dalton Trans 2006(44):5179-5189.

(229) Hughes MA, Nielsen D, Rosenberg E, Gobetto R, Viale A, Burton SD, et al. Structural investigations of silica polyamine composites: Surface coverage, metal ion coordination, and ligand modification. Ind Eng Chem Res 2006;45(19):6538-6547.

(230) Braga D, Grepioni F, Polito M, Chierotti MR, Ellena S, Gobetto R. A solid-gas route to polymorph conversion in crystalline $[\text{Fe II}(\eta^5\text{-C}_5\text{H}_4\text{COOH})_2]$. A diffraction and solid-state NMR study. Organometallics 2006;25(19):4627-4633.

(231) Canet D, Aroulanda C, Mutzenhardt P, Aime S, Gobetto R, Reineri F. Para-hydrogen enrichment and hyperpolarization. Concepts Magn Reson Part A Bridging Educ Res 2006;28(5):321-330.

(232) Gobetto R, Caputo G, Garino C, Ghiani S, Nervi C, Salassa L, et al. Synthesis, electrochemical and electrogenerated chemiluminescence studies of ruthenium(II) bis(2,2'-bipyridyl){2-(4-methylpyridin-2-yl)benzo[d]-X-azole} complexes. Eur J Inorg Chem 2006(14):2839-2849.

(233) Garino C, Ghiani S, Gobetto R, Nervi C, Salassa L, Croce G, et al. Tricarbonylchlororhenium(I) carboxaldimine derivatives: Synthesis, structure, and NMR characterization of Z and E isomers. Eur J Inorg Chem 2006(14):2885-2893.

(234) Arrais A, Gobetto R, Rossetti R, Diana E. Synthesis and spectral characterization of water-soluble derivatives of C₇₀ and high-order fullerene mixture (C₇₆, C₇₈ and C₈₄) achieved by chemically induced air oxidation. New Diamond Front Carbon Technol 2006;16(2):79-96.

- (235) Hughes M, Miranda P, Nielsen D, Rosenberg E, Gobetto R, Viale A, et al. Silica polyamine composites: New supramolecular materials for cation and anion recovery and remediation. *Macromol Sympos* 2006;235:161-178.
- (236) Canuto HC, Masic A, Rees NH, Heyes SJ, Gobetto R, Aime S. A ^{13}C CP/MAS NMR study of the structure and dynamics of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}(\text{CO})_4]$ included in β -cyclodextrin: Evidence for terminal-bridging exchange in the cis isomer. *Organometallics* 2006;25(9):2248-2252.
- (237) Marchetti F, Pettinari C, Riccardo Pettinari A, Cingolani U, Gobetto R, Chierotti MR, et al. The Imidazole role in strontium β -diketonate complexes formation. *Inorg Chem* 2006;45(7):3074-3085.
- (238) Quagliotto P, Montoneri E, Tambone F, Adani F, Gobetto R, Viscardi G. Chemicals from wastes: Compost-derived humic acid-like matter as surfactant. *Environ Sci Technol* 2006;40(5):1686-1692.
- (239) Aime S, Gobetto R, Reineri F, Canet D. Polarization transfer from para-hydrogen to heteronuclei: Effect of H/D substitution. the case of $\text{AA}'\text{X}$ and $\text{A}_2\text{A}_2'\text{X}$ spin systems. *J Magn Reson* 2006;178(2):184-192.
- (240) Gobetto R, Nervi C, Chierotti MR, Braga D, Maini L, Grepioni F, et al. Hydrogen bonding and dynamic behaviour in crystals and polymorphs of dicarboxylic-diamine adducts: A comparison between NMR parameters and X-ray diffraction studies. *Chem Eur J* 2005;11(24):7461-7471.
- (241) Aime S, Dastrù W, Gobetto R, Viale A. Para-Hydrogenation of unsaturated moieties on poly(lysine) derived substrates for the development of novel hyperpolarized MRI contrast agents. *Org Biomol Chem* 2005;3(21):3948-3954.
- (242) Le Guennic B, Costuas K, Halet J-, Nervi C, Paterson MAJ, Fox MA, et al. Electronic interactions in bridged bis(cluster) assemblies - A comparison of para- $\text{CB}_{10}\text{H}_{10}\text{C}$, para- C_6H_4 and C_4 bridges. *C R Chim* 2005;8(11-12):1883-1896.
- (243) Giustetto R, Llabrés I Xamena FX, Ricchiardi G, Bordiga S, Damin A, Gobetto R, et al. Maya blue: A computational and spectroscopic study. *J Phys Chem B* 2005;109(41):19360-19368.
- (244) Croce G, Milanesio M, Viterbo D, Garino C, Gobetto R, Nervi C, et al. The crystal and molecular structure of the $[\text{Os}(\text{bpy})_2(\text{CO})\text{Cl}][\text{OTf}]$ complex. *C R Chim* 2005;8(9-10 SPEC. ISS.):1676-1683.
- (245) Garrone E, Geobaldo F, Rivolo P, Salvador GP, Pallavidino L, Boarino L, et al. Boron passivation and its reactivation in mesoporous silicon: A "chemical" model. *Phys Status Solidi A Appl Mater Sci* 2005;202(8):1567-1570.
- (246) Nervi C, Vigna MA, Cavigliolo G, Ravera M, Osella D. Synthesis and characterization of functionalized thymidine as a potential carrier for cisplatin-like drugs. *Inorg Chim Acta* 2005;358(9):2799-2803.
- (247) Garino C, Ghiani S, Gobetto R, Nervi C, Salassa L, Ancarani V, et al. $[\text{Os}(\text{bpy})_2(\text{CO})(\text{enIA})][\text{OTf}]_2$: A novel sulfhydryl-specific metal-ligand complex. *Inorg Chem* 2005;44(11):3875-3879.
- (248) Beringhelli T, D'Alfonso G, Gobetto R, Panigati M, Viale A. Deuterium quadrupolar coupling constants of deuteride bridging ligands: A study on rhenium hydrido carbonyl clusters. *Organometallics* 2005;24(8):1914-1918.
- (249) Gobetto R, Nervi C, Valfrè E, Chierotti MR, Braga D, Maini L, et al. ^1H MAS, ^{15}N CPMAS, and DFT investigation of hydrogen-bonded supramolecular adducts between the diamine 1,4-diazabicyclo-[2.2.2]octane and dicarboxylic acids of variable chain length. *Chem Mater* 2005;17(6):1457-1466.
- (250) Koentjoro OF, Low PJ, Rousseau R, Nervi C, Yufit DS, Howard JAK, et al. A combined spectroelectrochemical and computational study of the chemically reversible 2-electron

reduction of $[\text{Ru}_4(\eta^5\text{-RC}_2\text{R})_2(\text{CO})_{11}]$ clusters. *Organometallics* 2005;24(6):1284-1292.

(251) Garrone E, Geobaldo F, Rivolo P, Amato G, Boarino L, Chiesa M, et al. A nanostructured porous silicon near insulator becomes either a p- or an n-type semiconductor upon gas adsorption. *Adv Mater* 2005;17(5):528-531.

(252) Garino C, Gobetto R, Nervi C, Salassa L, Croce G, Milanesio M, et al. Solid-state structure, quantum calculations and spectroscopic characterization of the hydrogen-bonded complex $[\text{Os}(\text{bpy})_2(\text{CO})(\text{EtO}\eta^5\text{-H-DMAP})][\text{PF}_6]_2$. *Eur J Inorg Chem* 2005(3):606-614.

(253) Garino C, Gobetto R, Nervi C, Salassa L. Electrochemical behaviour and reactivity of $[\text{Os}(\text{bpy})_2(\text{CO})(\text{OTf})]^+$ in halogenated solvents. *Inorg Chim Acta* 2005;358(1):196-200.

(254) Rosenberg E, Spada F, Sugden K, Martin B, Gobetto R, Milone L, et al. Selective covalent binding of a positively charged water-soluble benzoheterocycle triosmium cluster to single- and double-stranded DNA. *J Organomet Chem* 2004;689(25 SPEC. ISS.):4729-4738.

(255) Cravotto G, Bicchi C, Tagliapietra S, Costa L, Di Carlo S, Nervi C. New chiral selectors: Design and synthesis of 6-TBDMS-2,3-methyl η^5 -cyclodextrin 2-2' thioureido dimer and 6-TBDMS-2,3-methyl (or 2-methyl-3-acetyl) η^5 -cyclodextrin bearing an (R) mosher acid moiety. *Chirality* 2004;16(8):526-533.

(256) Arce AJ, Chierotti M, Sanctis YD, Deeming AJ, Gobetto R. Low temperature allene coupling and isomerization at triosmium clusters. *Inorg Chim Acta* 2004;357(12):3799-3802.

(257) Montoneri E, Gallazzi MC, Bertarelli C, Gobetto R, Salassa L. 1,10-(1-H-imidazol-5-yl)decanephosphonic acid: A new compound with basic and acidic sites to fabricate proton-conducting solid electrolytes. *Phosphorus Sulfur Silicon Relat Elem* 2004;179(9):1737-1755.

(258) Braga D, Maini L, Giaffreda SL, Grepioni F, Chierotti MR, Gobetto R. Supramolecular complexation of alkali cations through mechanochemical reactions between crystalline solids. *Chem Eur J* 2004;10(13):3261-3269.

(259) Nervi C, Gobetto R, Milone L, Viale A, Rosenberg E, Spada F, et al. Solution properties, electrochemical behavior and protein interactions of water soluble triosmium carbonyl clusters. *J Organomet Chem* 2004;689(10):1796-1805.

(260) Di Martino P, Joiris E, Gobetto R, Masic A, Palmieri GF, Martelli S. Ketoprofen-poly(vinylpyrrolidone) physical interaction. *J Cryst Growth* 2004;265(1-2):302-308.

(261) Arrais A, Diana E, Gervasio G, Gobetto R, Marabello D, Stanghellini PL. Synthesis, structural and spectroscopic characterization of four $[(\eta^6\text{-PAH})\text{Cr}(\text{CO})_3]$ complexes (PAH = pyrene, perylene, chrysene, 1,2-benzanthracene). *Eur J Inorg Chem* 2004(7):1505-1513.

(262) Rosenberg E, Rokhsana D, Nervi C, Gobetto R, Milone L, Viale A, et al. Synthesis, Reduction Chemistry, and Spectroscopic and Computational Studies of Isomeric Quinolinecarboxaldehyde Triosmium Clusters. *Organometallics* 2004;23(2):215-223.

(263) Nervi C, Gobetto R, Milone L, Viale A, Rosenberg E, Rokhsana D, et al. Spectroscopic and Computational Investigations of Stable Radical Anions of Triosmium Benzoheterocycle Clusters. *Chem Eur J* 2003;9(23):5749-5756.

(264) Braga D, Maini L, De Sanctis G, Rubini K, Grepioni F, Chierotti MR, et al. Mechanochemical Preparation of Hydrogen-Bonded Adducts between the Diamine 1,4-Diazabicyclo [2.2.2]octane and Dicarboxylic Acids of Variable Chain Length: An X-ray Diffraction and Solid-State NMR Study. *Chem Eur J* 2003;9(22):5538-5548.

(265) Aime S, Gobetto R, Reineri F, Canet D. Hyperpolarization transfer from parahydrogen to deuterium via carbon-13. *J Chem Phys* 2003;119(17):8890-8896.

(266) Gobetto R, Nervi C, Romanin B, Salassa L, Milanesio M, Croce G. X-ray structures and complete NMR assignment by DFT calculations of $[\text{Os}(\text{bpy})_2(\text{CO})\text{Cl}][\text{PF}_6]$ and $[\text{Os}(\text{bpy})_2(\text{CO})\text{H}][\text{PF}_6]$ complexes. *Organometallics* 2003;22(20):4012-4019.

(267) Aime S, Demaria A, Diana E, Gobetto R, Reineri F. The influence of strong acidic proton donors on the reactivity of $\text{H}_2\text{Ir}(\text{CO})\text{Cl}(\text{PPh}_3)_2$ with D_2 . *J Mol Catal A Chem* 2003;204-205:371-379.

- (268) Faggian S, Fisicaro P, Giamello E, Gobetto R, Viale A, Berlier G, et al. Morphological and structural features of activated iron silicalites: A ^{129}Xe -NMR and EPR investigation. *J Phys Chem B* 2003;107(34):8922-8928.
- (269) Aime S, Chierotti MR, Gobetto R, Russo A, Stchedroff MJ. Intramolecular hydrogen bonding in transition metal clusters: NMR evidence for an Os-H $\cdots$ H-S interaction in H(η -H)Os₃(CO)₁₀(HSR) (R = ethyl, cyclopentyl). *Inorg Chim Acta* 2003;351(1):251-255.
- (270) Rosenberg E, Spada F, Sugden K, Martin B, Milone L, Gobetto R, et al. Synthesis, characterization and DNA binding affinities of water-soluble benzoheterocycle triosmium clusters. *J Organomet Chem* 2003;668(1-2):51-58.
- (271) Malandrino G, Borzì AM, Castelli F, Fragalà IL, Dastrù W, Gobetto R, et al. Synthesis, crystal structure and mass transport properties of novel thallium ion precursors for MOCVD applications. *J Chem Soc Dalton Trans* 2003;3(3):369-374.
- (272) Onida B, Fiorilli S, Gobetto R, Russo A, MacQuarrie DJ, Garrone E. A NH₃-responding material based on Reichardt's dye-impregnated mesoporous silica. *Stud Surf Sci Catal* 2003;146:453-456.
- (273) Garlaschelli L, Greco F, Peli G, Manassero M, Sansoni M, Gobetto R, et al. Synthesis, solid-state structure and multinuclear NMR studies of the new polyhydrido iridium carbonyl cluster Ir₄H₄(η -H)₄(CO)₄(PPh₃)₄. *Eur J Inorg Chem* 2003(11):2108-2112.
- (274) Arrais A, Diana E, Gobetto R, Milanesio M, Viterbo D, Stanghellini PL. Solid-state adducts between C₆₀ and decamethylferrocene. *Eur J Inorg Chem* 2003(6):1186-1192.
- (275) Braga D, Cojazzi G, Emiliani D, Maini L, Polito M, Gobetto R, et al. Two concomitant polymorphs and two isomorphous forms with different chemical compositions, which transform into the same substance upon thermal treatment. *Crystengcomm* 2002;4(50):277-281.
- (276) Osella D, Galeotti F, Cavigiolio G, Nervi C, Hardcastle KI, Vessières A, et al. The hexacarbonyl(ethyne)dicobalt unit: An androgen tag. *Helv Chim Acta* 2002;85(9):2918-2925.
- (277) Aime S, Bertone F, Gobetto R, Milone L, Russo A, Stchedroff MJ, et al. The effect of ligand basicity on the unconventional hydrogen-bond in H(η -H)Os₃(CO)₁₀L (L=amine) derivatives. *Inorg Chim Acta* 2002;334:448-454.
- (278) Rosenberg E, Abedin MJ, Rokhsana D, Viale A, Dastru' W, Gobetto R, et al. Ligand dependent structural changes in the acid-base chemistry of electron deficient benzoheterocycle triosmium clusters. *Inorg Chim Acta* 2002;334:343-354.
- (279) Gobetto R, Milone L, Reineri F, Salassa L, Viale A, Rosenberg E. Mechanistic studies of the hydrogenation of alkynes with Os₃(CO)₁₀(η -H)₂ using para-hydrogen as a probe. *Organometallics* 2002;21(9):1919-1924.
- (280) Bergman B, Rosenberg E, Gobetto R, Aime S, Milone L, Reineri F. Reactivity studies of para-hydrogen with η^3 -quinolyl triosmium clusters. *Organometallics* 2002;21(7):1508-1511.
- (281) Mastorilli P, Rizzuti A, Romanazzi G, Suranna GP, Gobetto R, Nobile CF. Synthesis and catalytic activity of new supported rhodium(I) complexes for the enantioselective hydrogenation of methyl-(Z)- η -N-acetamidocinnamate. *J Mol Catal A Chem* 2002;180(1-2):177-185.
- (282) Stchedroff MJ, Aime S, Gobetto R, Salassa L, Nordlander E. ^{187}Os subspectra in ^1H and $^{31}\text{P}\{^1\text{H}\}$ spectra of triosmium carbonyl clusters. *Magn Reson Chem* 2002;40(2):107-113.
- (283) Fiedler J, Nervi C, Osella D, Calhorda MJ, Godinho SSMC, Merkel R, et al. Electrochemical behaviour, IR spectroelectrochemistry and theoretical studies of tetracobalt carbonyl cluster complexes with a facial cyclooctatetraene ligand. *J Chem Soc Dalton Trans* 2002(19):3705-3711.
- (284) Aime S, Diana E, Gobetto R, Milanesio M, Valls E, Viterbo D. Structural and spectroscopic study of the dihydrogen bond in an imine triosmium complex. *Organometallics* 2002;21(1):50-57.
- (285) Osella D, Nervi C, Galeotti F, Cavigiolio G, Vessières A, Jaouen G. The

ferrocenylethynyl unit: A stable hormone tag. *Helv Chim Acta* 2001;84(11):3289-3298.

(286) Persson R, Monari M, Gobetto R, Russo A, Aime S, Calhorda MJ, et al. Synthesis of characterization of triosmium clusters containing the bidentate ligand Ph₂PCH₂CH₂SMe: Detection of an isomerization reaction involving bridging and chelating ligand coordination modes. *Organometallics* 2001;20(20):4150-4160.

(287) Aime S, Canet D, Dastrù W, Gobetto R, Reineri F, Viale A. NOE (Nuclear Overhauser Effect) transfers from para-H₂ enhanced magnetizations in alkene moieties at Rh(I) centers. *J Phys Chem A* 2001;105(26):6305-6310.

(288) Aime S, Dastrù W, Gobetto R, Reineri F, Russo A, Viale A. Investigating pathways of molecular H₂ exchange in (η⁵-H)₂Os₃(CO)₁₀. *Organometallics* 2001;20(13):2924-2927.

(289) Aime S, Arce AJ, Chiantore O, Gobetto R, Russo A, De Sanctis Y. Ring-opening polymerisation of norbornene by (η⁵-H)₂Os₃(CO)₁₀ complex. *J Organomet Chem* 2001;622(1-2):43-46.

(290) Fox MA, Paterson MAJ, Nervi C, Galeotti F, Puschmann H, Howard JAK, et al. Electrochemical evidence for electronic interactions through the para-carborane skeleton in the novel tricluster [{Co₂C₂(SiMe₃)(CO)₄(dppm)}₂(η⁵-CB₁₀H₁₀C)]. *Chem Commun* 2001;1(17):1610-1611.

(291) Arce AJ, De Sanctis Y, Galarza E, Garland MT, Gobetto R, Machado R, et al. Facile changes in bonding modes of azulene in di- and triruthenium clusters upon interaction with CO. *Organometallics* 2001;20(2):359-362.

(292) Bianchini C, Barbaro P, Dal Santo V, Gobetto R, Meli A, Oberhauser W, et al. Immobilization of Optically Active Rhodium-Diphosphine Complexes on Porous Silica via Hydrogen Bonding. *Adv Synth Catal* 2001;343(1):41-45.

(293) Canuto HC, Eyes SJH, Aime S, Gobetto R, Napolitano F. The role of molecular shape and axial symmetry in the solid state molecular dynamics of metal carbonyl compounds included in cyclodextrin cavities. *J Chem Soc Dalton Trans* 2000(22):4075-4077.

(294) Aime S, Arce AJ, Giusti D, Gobetto R, Steed JW. A novel non-facial mode of azulene cluster co-ordination. Crystal and molecular structure of the dicarbenoid Os₃(η⁵-H)₂-(CO)₉(η³-η⁵-C₁₀H₆). *J Chem Soc Dalton Trans* 2000(13):2215-2217.

(295) Osella D, Ferrali M, Zanello P, Laschi F, Fontani M, Nervi C, et al. On the mechanism of the antitumor activity of ferrocenium derivatives. *Inorg Chim Acta* 2000;306(1):42-48.

(296) Aime S, Arce A, Gobetto R, Giusti D, Stchedroff M. Enhanced mobility of the cluster Ru₃(CO)₁₂ in the solid state formed in situ by the reaction of CO and Ru₃(CO)₆(η³-CO)(η³:η⁵-C₁₂H₈) on silica. *Chem Commun* 2000(15):1425-1426.

(297) Osella D, Carretta A, Nervi C, Ravera M, Gobetto R. Inclusion complexes of ferrocenes and η³-cyclodextrins. Critical appraisal of the electrochemical evaluation of formation constants. *Organometallics* 2000;19(14):2791-2797.

(298) Aime S, Dastrù W, Gobetto R, Viale A. An NMR study of H(η⁵-H)Os₃(CO)₁₁. *Inorg Chem* 2000;39(11):2422-2425.

(299) Rosenberg E, Abedin MJ, Rokhsana D, Osella D, Milone L, Nervi C, et al. The electrochemical behaviour of electron deficient benzoheterocycle triosmium clusters. *Inorg Chim Acta* 2000;300-302:769-777.

(300) Aime S, Férriz M, Gobetto R, Valls E. Coordination of imines on Os₃ clusters: Effect of the solvent in addressing isomer formation. *Organometallics* 2000;19(4):707-710.

(301) Beatty ST, Bergman B, Rosenberg E, Dastru' W, Gobetto R, Milone L, et al. Conformational constraints and η³-η⁵-vinyl interchange in η³-η⁵-5,6-dihydroquinoline triosmium complexes. *J Organomet Chem* 2000;593-594:226-231.

(302) Osella D, Nervi C, Milone L, Galeotti F, Vessièrès A, Jaouen G. The Co₃(CO)₉C moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique. *J Organomet Chem* 2000;593-594:232-239.

- (303) Aime S, Dastrù W, Gobetto R, Viale A. Facile oxidative addition/reductive elimination of HX (X=Cl, Br, I) on $(\eta^5\text{-H})\text{Os}_3(\text{CO})_{10}$. *J Organomet Chem* 2000;593(594):135-141.
- (304) Osella D, Ravera M, Nervi C, Cavigiolio G, Vincenti M, Vessières A, et al. Stabilization of carbenium ions derived from ethynylestradiol by different adjacent organometallic moieties. Implication in the inactivation of the estrogen receptor. *Eur J Inorg Chem* 2000(3):491-497.
- (305) Wadepohl H, Gebert S, Pritzkow H, Osella D, Nervi C, Fiedler J. Redox chemistry of $[\text{Co}_4(\text{CO})_3(\eta^3\text{-CO})_3(\eta^3\text{-C}_7\text{H}_7)(\eta^5\text{-C}_7\text{H}_9)]$ - Reversible carbon-carbon coupling versus metal cluster degradation. *Eur J Inorg Chem* 2000(8):1833-1843.
- (306) Aime S, Dastrù W, Gobetto R, Russo A, Viale A, Canet D. A novel application of para H_2 : The reversible addition/elimination of H_2 at a Ru_3 cluster revealed by the enhanced NMR emission resonance from molecular hydrogen. *J Phys Chem A* 1999;103(48):9702-9705.
- (307) Aime S, Ferriz M, Gobetto R, Valls E. Coordination of an imine ligand on an Os_3 cluster stabilized by intramolecular Os-H-H-N hydrogen bonding. *Organometallics* 1999;18(10):2030-2032.
- (308) Aime S, Canuto HC, Gobetto R, Napolitano F. Fast carbonyl exchange in the solid state for β -cyclodextrin/(arene) $\text{Cr}(\text{CO})_3$ inclusion complexes. *Chem Commun* 1999(3):281-282.
- (309) Asaro F, Gobetto R, Liguori L, Pellizer G. Solution ^{31}P and ^{59}Co and solid-state ^{31}P CP/MAS NMR studies of triphenylphosphinecobaloximes. *Chem Phys Lett* 1999;300(3-4):414-420.
- (310) Kiriakidou K, Plutino MR, Prestopino F, Monari M, Johansson M, Elding LI, et al. Detection of a novel intermediate in the addition of thiols to osmium carbonyl clusters. *Chem Commun* 1998(24):2721-2722.
- (311) Din AB, Bergman B, Rosenberg E, Smith R, Dastrù W, Gobetto R, et al. The solution dynamics of adduct formation and electronic communication between ligand and metal core in electron deficient quinoline triosmium clusters. *Polyhedron* 1998;17(17):2975-2984.
- (312) Gervasio G, Gobetto R, King PJ, Marabello D, Sappa E. Dehydration, hydration and substitution reactions of the hydrido acetylide complexes $\text{HRu}_3(\text{CO})_9\{\text{C}_2\text{CR}(\text{OH})\text{R}'\}$. X-ray structures and NMR fluxionality of $\text{HRu}_3(\text{CO})_7(\text{dppm})\{\text{C}_2\text{CMe}(\text{OH})\text{Ph}\}$ and $\text{HRu}_3(\text{CO})_7(\text{dppm})\{\text{C}_2\text{C}(\text{=CH}_2)\text{Ph}\}$. *Polyhedron* 1998;17(17):2937-2955.
- (313) Aime S, Dastrù W, Gobetto R, Viale A. Novel synthesis, solution structure, dynamics, and protonation of $\text{H}(\eta^5\text{-H})\text{Ru}_3(\text{CO})_{11}$. *Organometallics* 1998;17(15):3182-3185.
- (314) Aime S, Gobetto R, Canet D. Longitudinal nuclear relaxation in a A_2 spin system initially polarized through para-hydrogen. *J Am Chem Soc* 1998;120(27):6770-6773.
- (315) Aime S, Gobetto R, Valls E. NMR characterization of four new isomers of $\text{H}(\eta^5\text{-H})\text{Os}_3(\text{CO})_{10}(\text{phosphine})$. *Inorg Chim Acta* 1998;275-276:521-527.
- (316) Malandrino G, Fragalà IL, Aime S, Dastrù W, Gobetto R, Benelli C. Synthesis, crystal structure and solid-state dynamics of the $\text{La}(\text{hfa})_3\cdot\text{Me}(\text{OCH}_2\text{CH}_2)_4\text{OMe}$ ($\text{Hhfa} = 1,1,1,5,5,5$ -hexafluoropentane-2,4-dione) precursor for MOCVD applications. *Journal of the Chemical Society - Dalton Transactions* 1998(9):1509-1512.
- (317) Cecchetto P, Ceccon A, Gambaro A, Santi S, Ganis P, Gobetto R, et al. Heterobimetallic indenyl complexes. Synthesis and carbonylation reaction of anti- $[\text{Cr}(\text{CO})_3\text{-}\eta^5\text{-indenyl-Ir}(\text{COD})]$. *Organometallics* 1998;17(4):752-762.
- (318) Arcia E, Kolwaite DS, Rosenberg E, Hardcastle K, Ciurash J, Duque R, et al. Mechanistic and structural studies of electron-deficient quinoline triosmium clusters. *Organometallics* 1998;17(3):415-426.
- (319) Osella D, Milone L, Nervi C, Ravera M. Electronic communication in $[\text{Co}_2(\text{CO})_6]_2$ -diyne and $[\text{Co}_2(\text{CO})_4(\text{dppm})]_2$ -diyne complexes. *Eur J Inorg Chem* 1998(10):1473-1477.
- (320) Osella D, Gobetto R, Nervi C, Ravera M, D'Amato R, Russo MV. Synthesis and characterisation of bis(ferrocenylethynyl) complexes of platinum (II) a re-investigation of their electrochemical behaviour. *Inorg Chem Commun* 1998;1(7):239-245.

- (321) Aime S, Dastrù W, Gobetto R, Viale A. Addition of NH_3 to the cluster complexes $\text{M}_3\text{H}(\eta\text{-H})(\text{CO})_{11}$ (M - Ru, Os). *Organometallics* 1998;17(24):5353-5357.
- (322) Aime S, Gobetto R, Valls E. Role of Os-H $\cdots$ H-N interactions in directing the stereochemistry of carbonyl cluster hydride derivatives. *Organometallics* 1997;16(24):5140-5141.
- (323) Lobbia GG, Cecchi P, Gobetto R, Digilio G, Spagna R, Camalli M. Metal polypyrazolylborates XIII. Solution and solid state NMR study of cyano-mercury(II) polypyrazolylborates. X-ray crystal structure of $[\text{HB}(3,5\text{-Me}_2\text{pz})_3]\text{HgCN}$. *J Organomet Chem* 1997;539(1-2):9-17.
- (324) Osella D, Dutto G, Nervi C, McGlinchey MJ, Vessières A, Jaouen G. Ferrole-estradiol complex as a test for receptor dimerization. *J Organomet Chem* 1997;533(1-2):97-102.
- (325) Aime S, Dastrù W, Gobetto R, Milone L, Viale A. A versatile route to $[\text{Ru}_3(\text{CO})_{11}(\text{alkyne})]$ complexes. *Chem Commun* 1997(3):267-268.
- (326) Rosenberg E, Milone L, Gobetto R, Osella D, Hardcastle K, Hajela S, et al. Comparative reactivity of triruthenium and triosmium $\eta^3\text{-}\eta^2\text{-imidoyls}$. 1. Dynamics and reactions with carbon monoxide, phosphine, and isocyanide. *Organometallics* 1997;16(12):2665-2673.
- (327) Kabir SE, Rosenberg E, Milone L, Gobetto R, Osella D, Ravera M, et al. Comparative reactivity of triruthenium and triosmium $\eta^3\text{-}\eta^2\text{-imidoyls}$. 2. Reactions with alkynes. *Organometallics* 1997;16(12):2674-2681.
- (328) Asaro F, Camus A, Gobetto R, Olivieri AC, Pellizer G. ^{63}Cu - ^{31}P coupling constants and ^{63}Cu quadrupole couplings from ^{31}P CP/MAS spectra of copper (I)-phosphine complexes with aryldithiocarboxylates or benzoate. *Solid State Nucl Magn Reson* 1997;8(2):81-88.
- (329) Aime S, Dastrù W, Gobetto R, Krause J, Matas L, Viale A. H/D isotopic exchange on the surface of a triosmium carbonyl cluster. *Organometallics* 1996;15(23):4967-4970.
- (330) Di Serio M, Iengo P, Gobetto R, Bruni S, Santacesaria E. Ethoxylation of fatty alcohols promoted by an aluminum alkoxide sulphate catalyst. *J MOL CATAL A CHEM* 1996;112(2):235-251.
- (331) Pospíšil L, Fiedler J, Osella D, Nervi C. Unusual twin adsorption waves in voltammetry of trimetallic clusters of Os and Ru undergoing redox-induced reorientation of the alkyne ligand. *J Electroanal Chem* 1996;412(1-2):147-152.
- (332) Gobetto R, Arena CG, Drommi D, Faraone F. $[\text{Os}_3(\text{H})_2(\text{CO})_{10}]$ derivatives containing the short bite ligands bis(diphenylphosphino) methane and 2-(diphenylphosphino) pyridine. *Inorg Chim Acta* 1996;248(2):257-261.
- (333) Duffy N, McAdam J, Nervi C, Osella D, Ravera M, Robinson B, et al. Electronic interactions in diyne $\text{Co}_2(\text{CO})_6$ complexes. *Inorg Chim Acta* 1996;247(1):99-104.
- (334) Aime S, Digilio G, Gobetto R, Bigi A, Ripamonti A, Roveri N, et al. Relationship between Solid State NMR Parameters and X-ray Structural Data in Tricadmium Phosphates. *Inorg Chem* 1996;35(1):149-154.
- (335) Aime S, Barrie PJ, Brougham DF, Gobetto R, Hawkes GE. ^1H MAS NMR Spectra of Transition Metal Carbonyl Hydrides. *Inorg Chem* 1995;34(13):3557-3559.
- (336) Osella D, Milone L, Nervi C, Ravera M. Electronic interactions in organometallic dimers. An electrochemical approach. *J Organomet Chem* 1995;488(1-2):1-7.
- (337) Aime S, Dastrù W, Gobetto R, Krause J, Milone L. Evaluation of the Energy Barrier for Carbonyl Exchange in the Highly Fluxional $\text{Ru}_3(\text{CO})_{12}$ System. *Organometallics* 1995;14(9):4435-4438.
- (338) Hawkes GE, Mantle MD, Sales KD, Aime S, Gobetto R, Groombridge CJ. Dipolar Oscillations in the ^{13}C -(^1H) Cross-Polarization/Magic-Angle-Spinning Spectrum of $\text{H}_2\text{Os}_3(\text{CO})_{10}$. *J Magn Reson Ser A* 1995;116(2):251-254.
- (339) Gobetto R, Hardcastle KI, Kabir SE, Milone L, Nishimura N, Botta M, et al. $\eta^3\text{-H}$ -Hydride Geometry and Dynamics in the Protic Acid Adducts of Triosmium Imidoyl Clusters.

Organometallics 1995;14(6):3068-3080.

(340) Osella D, Nervi C, Ravera M, Fiedler J, Strelets VV. Electrochemical Behavior and Electron-Transfer Chain (ETC) Reactions of $H_4Ru_4(CO)_{12}$. Organometallics 1995;14(5):2501-2505.

(341) Aime S, Botta M, Gobetto R, Milone L, Osella D, Gellert R, et al. Solution Structures and Dynamics of $Ru_4(\eta^5-H)_4(CO)_{12-x}(L)_x$ ($x = 1, 2, 4$, $L = P(OEt)_3$, $P(OEt)_3$; $x = 1, 2$, $L = ASph_3$) Derivatives by VT Multinuclear NMR Spectroscopy. X-ray Structure Determination of $Ru_4(\eta^5-H)_4(CO)_{10}(P(OEt)_3)_2$. Organometallics 1995;14(8):3693-3703.

(342) Aime S, Dastrù W, Gobetto R, Krause J, Violano L. Solution structures and dynamics of $M_3(CO)_{12-x}(NCCH_3)_x$ (MRu , $x = 1, 2, 3$; MOs , $x = 1, 2$). Inorg Chim Acta 1995;235(1-2):357-366.

(343) Aime S, Dastrù W, Gobetto R, Krause J, Sappa E. Solid-Gas Reactions of the η^5 -Lightly Stabilized $Os_3(Co)_{11}L$ ($L = NCCH_3$, C_2H_4) Clusters with CO , NH_3 , and H_2 . Organometallics 1995;14(7):3224-3228.

(344) Aime S, Gobetto R, Minghetti G, Bandini AL, Banditelli G. Synthesis and VT-NMR studies of cationic hydride platinum clusters. J Clust Sci 1994;5(4):523-533.

(345) Aime S, Dastrù W, Gobetto R, Arce AJ. Reactions of Solid $H_2Os_3(CO)_{10}$ with Gaseous CO , NH_3 , and H_2S . Organometallics 1994;13(11):4232-4236.

(346) Gibson VC, Gobetto R, Harris RK, Langdale-Brown C, Siemeling U. Niobium-phosphorus coupling constants. J Organomet Chem 1994;479(1-2):207-211.

(347) Aime S, Dastrù W, Gobetto R, Arce AJ. Stereochemical Nonrigidity in $(\eta^5-H)(H)Os_3(CO)_{11}$. Evidence for the Occurrence of a Racemization Process at Low Temperature. Organometallics 1994;13(9):3737-3739.

(348) Osella D, Gambino O, Nervi C, Stein E, Jaouen G, Vessières A. Estrogen Derivatives of Transition-Metal Complexes for Analytical Detection Enhancement. Organometallics 1994;13(8):3110-3114.

(349) Drommi D, Nicolò F, Arena CG, Bruno G, Faraone F, Gobetto R. Synthesis and structural characterization of a new series of ruthenium(II) complexes containing the short bite Ph_2PPy ligand. Cooperative effect between the anionic rhodium and cationic ruthenium species in the catalytic hydroformylation of styrene by $[Ru(Ph_2PPy)_3Cl]$ $[Rh(CO)_2Cl_2]$. Inorg Chim Acta 1994;221(1-2):109-116.

(350) Aime S, Gobetto R, Orlandi A, Groombridge CJ, Hawkes GE, Mantle MD, et al. 1H and ^{13}C NMR Study of the Solid-State Dynamics of $H_4Ru_4(CO)_{12}$. Organometallics 1994;13(6):2375-2379.

(351) Osella D, Gambino O, Nervi C, Ravera M, Russo MV, Infante G. Electron transfer in $trans-[Pt(PPh_3)_2(-CCFc)_2]$ and related compounds. Inorg Chim Acta 1994;225(1-2):35-40.

(352) Aime S, Digilio G, Gobetto R, Cecchi P, Lobbia GG, Camalli M. Solution and solid-state NMR studies of $MeHgII$ and $RSHgII$ ($R = Me, Et$) complexes with pyrazolyl-containing ligands. Polyhedron 1994;13(18):2695-2702.

(353) Osella D, Gambino O, Dutto GC, Nervi C, Jaouen G, Vessières A. Estrogen derivatives of transition metal complexes for analytical detection enhancement. Part II. Inorg Chim Acta 1994;218(1-2):207-210.

(354) Szalontai G, Bakos J, Aime S, Gobetto R. High-resolution NMR studies of (diphosphine)(diene) rhodium complexes in the solid state. J Organomet Chem 1993;463(1-2):223-226.

(355) Brown MP, Dolby PA, Harding MM, Mathews AJ, Smith AK, Osella D, et al. Reactions of the co-ordinatively unsaturated cluster $[Os_3(\eta^5-H)(CO)_8\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with alkynes $RC\equiv CR$ ($R = Ph, C_6H_4Me, Me$ or CF_3); Crystal structures of $[Os_3(CO)_8\{\eta^5-RC_2R\}(Ph_2PCH_2PPh...]$ Journal of the Chemical Society, Dalton Transactions 1993(6):827-834.

- (356) Osella D, Gambino O, Nevi C, Ravera M, Bertolino D. Electronic interactions in multicenter arrays. An electrochemical approach. Part I. *Inorg Chim Acta* 1993;206(2):155-161.
- (357) Aime S, Gobetto R. Solid state ^{13}C NMR spectra of metal carbonyl clusters. *J Clust Sci* 1993;4(1):1-8.
- (358) Osella D, Gobetto R, Milone L, Nervi C, Ravera M, Stein E, et al. Electrochemical behaviour of tropone diiron pentacarbonyl complexes, $\text{Fe}_2(\text{CO})_5[(\text{RC}_2\text{R})_3\text{CO}]$ ($\text{R}=\text{Me}$, Et, n-Pr). Formation of a carbon-carbon bond upon reduction. *Inorg Chim Acta* 1993;212(1-2):311-316.
- (359) Aime S, Cordero L, Gobetto R, Szalontai G. ^1H and ^{13}C NMR study of cyclopentadienyl metal carbonyls in the solid state. *Spectrochim Acta Part A Mol Spectrosc* 1993;49(9):1307-1314.
- (360) Bianchini C, Zanobini F, Aime S, Gobetto R, Psaro R, Sordelli L. Solid-Gas Reactions of Molecular Organometallic Complexes. Detection of a Metastable Intermediate in the Carbonylation of a Nickel(0) Complex. *Organometallics* 1993;12(12):4757-4763.
- (361) Szalontai G, Bakos J, Aime S, Gobetto R. Solid-state ^{31}P CP MAS NMR vs. solution study of bis(tertiary phosphines). *Solid State Nucl Magn Reson* 1993;2(5):245-251.
- (362) Day M, Espitia D, Hardcastle KI, Kabir SE, McPhillips T, Rosenberg E, et al. Synthesis, Structure, and Ligand Dynamics of Triosmium Imidoyl Clusters and Their Isocyanide Derivatives. *Organometallics* 1993;12(6):2309-2324.
- (363) Aime S, Cordero L, Gobetto R, Bordoni S, Busetto L, Zanotti V, et al. Synthesis, molecular structure, crystal packing, and dynamic behaviour in the solid state of $[\text{Fe}_2(\eta^5\text{-C}_5\text{H}_5)_2(\eta^2\text{-CO})(\text{CO})_2\{\eta^2\text{-CR}(\text{CN})\}]$ ($\text{R} = \text{H}$ or CN). *Journal of the Chemical Society, Dalton Transactions* 1992(20):2961-2966.
- (364) Rosenberg E, Freeman W, Carlos Z, Hardcastle K, Yong JY, Milone L, et al. Ligand dynamics and reactivity in trimetallic clusters. *J Clust Sci* 1992;3(4):439-457.
- (365) Osella D, Gambino O, Nervi C, Ravera M. HPLC studies of $\text{Fe}_2(\text{CO})_6(\text{ligand})$ complexes. *J Organomet Chem* 1992;433(3):287-294.
- (366) Osella D, Gambino O, Gobetto R, Nervi C, Ravera M, Jaouen G. Estrogen derivatives of transition metal carbonyl clusters for analytical detection enhancement. *Inorg Chim Acta* 1992;192(1):65-70.
- (367) Gobetto R, Harris RK, Apperley DC. Second-order quadrupolar effects on NMR spectra of spin- $\frac{1}{2}$ nuclei in solids, transmitted by dipolar coupling. compounds containing ^{55}Mn ($S = \frac{5}{2}$), ^{59}Co ($S = \frac{7}{2}$), and, ^{93}Nb ($S = \frac{9}{2}$). *Journal of Magnetic Resonance* (1969) 1992;96(1):119-130.
- (368) Aime S, Cordero L, Gobetto R, Braga D, Grepioni F, Righi S, et al. Reorientational Motions of Permethylated Cyclopentadienyl Rings in Polycrystalline Organometallic Compounds. *Inorg Chem* 1992;31(14):3054-3059.
- (369) Aresta M, Gobetto R, Quaranta E, Tommasi I. A bonding-Reactivity Relationship for $\text{Ni}(\text{pcy}_3)_2(\text{CO})_2$: A Comparative Solid-State-Solution Nuclear Magnetic Resonance Study (^{31}P , ^{13}C) as a Diagnostic Tool to Determine the Mode of Bonding of Carbon Dioxide to a Metal Center. *Inorg Chem* 1992;31(21):4286-4290.
- (370) Day M, Espitia D, Hardcastle KI, Kabir SE, Rosenberg E, Gobetto R, et al. Phosphine Addition and Substitution Reactions on Unusually Reactive Triosmium Clusters: $(\eta^5\text{-H})(\eta^3\text{-}\eta^2\text{-C}=\text{NCH}_2\text{CH}_2\text{CH}_2)\text{Os}_3(\text{CO})_9$ and $(\eta^5\text{-H})(\eta^3\text{-}\eta^2\text{-CH}_3\text{CH}_2\text{C}=\text{NCH}_2\text{CH}_2\text{CH}_3)\text{Os}_3(\text{CO})_9$. *Organometallics* 1991;10(10):3550-3559.
- (371) Osella D, Ravera M, Nervi C, Housecroft CE, Raithby PR, Zanello P, et al. Electrochemical, Theoretical, and Structural Investigations on the η^5 Butterfly? $\text{Co}_4(\text{CO})_8\text{L}_2(\text{RC}_2\text{R})$ ($\text{L} = \text{CO}$, PPh_3 ; $\text{R} = \text{H}$, Et, Ph) Clusters. *Organometallics* 1991;10(9):3253-3259.

- (372) Day MW, Hajela S, Kabir SE, Irving M, McPhillips T, Wolf E, et al. Reactions of Tertiary Amines with Trinuclear Clusters. 3. Reactions of N-Methylpyrrolidine with $\text{Ru}_3(\text{CO})_{12}$ and $\text{Os}_3(\text{CO})_{10}(\text{CH}_3\text{CN})_2$. *Organometallics* 1991;10(8):2743-2751.
- (373) Aime S, Gobetto R, Milone L, Osella D, Violano L, Arce AJ, et al. Synthesis, Reactivity, and Ligand Dynamics of $\text{Ru}_3(\text{CO})_9(\eta^5\text{-C}_5\text{H}_5)(\eta^1\text{-alkyne})$ Compounds. *Organometallics* 1991;10(8):2854-2856.
- (374) Osella D, Stein E, Nervi C, Zanella P, Laschi F, Cinquantini A, et al. Redox Behavior of the Electronically Unsaturated Clusters $\text{Os}_3(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_9\text{L}$ and Their Saturated Congeners $\text{Os}_3(\eta^5\text{-C}_5\text{H}_5)(\text{H})(\text{CO})_{10}\text{L}$ (L = CO, PPh_3 , AsPh_3). *Organometallics* 1991;10(6):1929-1934.
- (375) Aime S, Cisero M, Gobetto R, Osella D, Arce AJ. ^1H Spin-Lattice NMR Relaxation Studies of Hydride Carbonyl Clusters. A Method To Evaluate Distances Involving Hydrido Ligands. *Inorg Chem* 1991;30(7):1614-1617.
- (376) Hawkes GE, Sales KD, Aime S, Gobetto R, Lian L-. Use of Solid-State ^{13}C NMR Spectroscopy to Quantify the Degree of Asymmetry of Bonding for Semibridging CO Groups in Iron Carbonyl Complexes. *Inorg Chem* 1991;30(7):1489-1493.
- (377) Aime S, Gobetto R, Bandini AL, Banditelli G, Minghetti G. NMR Study of the Chemical Exchange of the Hydrido Ligands in the Bis(bis(diphenylphosphino)ethane)trihydridodiplatinum(II) Cation by T1, T2, and HD Isotopic Perturbation. *Inorg Chem* 1991;30(2):316-318.
- (378) Gobetto R. High resolution ^{31}P solid state NMR in phosphorus-transition metal compounds. *Mater Chem Phys* 1991;29(1-4):221-233.
- (379) Rosenberg E, Hardcastle KI, Day MW, Gobetto R, Hajela S, Muftikian R. Mercury-Bridged Transition-Metal Clusters. 5. Synthesis and Structure of $(\eta^5\text{-C}_5\text{H}_5)_2\text{M}(\text{CO})_9\text{M}'(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2$ [M = Ru, Os; M' = Fe($\eta^5\text{-C}_5\text{H}_5$)(CO) $_2$, Ru($\eta^5\text{-C}_5\text{H}_5$)(CO) $_2$, Mo($\eta^5\text{-C}_5\text{H}_5$)(CO) $_3$, Co(CO) $_4$] and $[(\eta^5\text{-C}_5\text{H}_5)(\eta^1\text{-alkyne})(\text{CO})_9\text{Os}_3]_2(\eta^4\text{-Hg})$. *Organometallics* 1991;10(1):203-210.
- (380) Gobetto R, Sappa E, Tiripicchio A, Camellini MT, Mays MJ. Reaction of diphenyl(vinyl)phosphine with carbonyls $[\text{M}_3(\text{CO})_{12}]$ (M = Ru or Os); Oxidative addition at $[\text{Ru}_3(\text{CO})_{12}]$. Spectroscopic characterization and crystal structure of $[\text{Ru}_3(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_8(\text{Ph}_2\text{PCH=CH}_2)(\eta^1\text{-Ph}_2\text{PCH=CH}_2)]$. *Journal of the Chemical Society, Dalton Transactions* 1990(3):807-811.
- (381) Aime S, Botta M, Gobetto R, Orlandi A. NMR studies of the reorientational motions of cyclopentadienyl ligands in solid cis- and trans- $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}_2(\text{CO})_2(\eta^1\text{-CO})_2]$. *Magn Reson Chem* 1990;28(13):S52-S58.
- (382) Osella D, Gambino O, Gobetto R, Zanella P, Laschi F, Owen SM, et al. Investigation of the electrochemical behavior and electronic structure of (M-butatriene)hexacarbonyldiiron complexes. *Organometallics* 1990;9(6):1792-1797.
- (383) Osella D, Gobetto R, Milone L, Zanella P, Mangani S. Regiospecific Allyl-Alkyne Coupling on an Organotriruthenium Carbonyl Cluster. Crystal Structure of $\text{Ru}_3(\text{CO})_8(\eta^1\text{-C}_4\text{H}_5\text{C(Ph)C(Me)=CCH}_2\text{NMe}_2)$. *Organometallics* 1990;9(7):2167-2171.
- (384) Camino G, Martinasso G, Costa L, Gobetto R. Thermal degradation of pentaerythritol diphosphate, model compound for fire retardant intumescent systems: Part II-Intumescence step. *Polym Degradation Stab* 1990;28(1):17-38.
- (385) Day M, Hajela S, Hardcastle KI, McPhillips T, Rosenberg E, Botta M, et al. Carbon-Nitrogen Cleavage and Carbon-Carbon Coupling Processes in the Reactions of $\text{Ru}_3(\text{CO})_{12}$ with Tertiary Amines. *Organometallics* 1990;9(4):913-924.
- (386) Bracker-Novak J, Hajela S, Lord M, Zhang M, Rosenberg E, Gobetto R, et al. Kinetic Deuterium Isotope Effects on Ligand Migrations in Metal Hydrides. 21. *Organometallics* 1990;9(5):1379-1382.
- (387) Hajela S, Rosenberg E, Gobetto R, Milone L, Osella D. ^{199}Hg NMR of mercury-bridged

transition metal clusters. *J Organomet Chem* 1989;377(1):85-88.

(388) Rotondo E, Schiavo SL, Bruno G, Arena CG, Gobetto R, Faraone F. Bi- and Polynuclear Complexes With Short-bite Ligands Bridging Metal Atoms. $[(\eta^5\text{-C}_5\text{H}_5)\text{Rh}(\eta^3\text{-C}_3\text{O}_2\text{CC}_2\text{CO}_2\text{CH}_3)(\eta^3\text{-Ph}_2\text{ppy})\text{Rh}(\text{CO})(\eta^3\text{-Cl})]_2$: Synthesis, X-ray Crystal Structure, Structural Dynamics, and Reactions With Co and SO_2 . *Inorg Chem* 1989;28(15):2944-2949.

(389) Rosenberg E, Bracker-Novak J, Gellert RW, Aime S, Gobetto R, Osella D. Relationships between structure and ligand dynamics. II. Alkyne and carbonyl dynamics in $\text{Os}_3(\text{CO})_9(\text{alkyne})(\text{L})$ ($\text{L} = \text{CO}$, PR_3). *J Organomet Chem* 1989;365(1-2):163-185.

(390) Aime S, Botta M, Gobetto R, Hanson BE. High-Field Magic-Angle-Spinning ^{13}C NMR Spectroscopy of $\text{Co}_4(\text{CO})_{12}$. *Inorg Chem* 1989;28(6):1196-1198.

(391) Aime S, Botta M, Gambino O, Gobetto R, Osella D. Solution structure and dynamic behaviour of two isomers of $[\text{Fe}_3(\text{CO})_9\{\text{P}(\text{OR}_3)\}_3]$ ($\text{R} = \text{Me}$, Et , or Ph) derivatives. *Journal of the Chemical Society, Dalton Transactions* 1989(7):1277-1281.

(392) Osella D, Arman G, Botta M, Gobetto R, Laschi F, Zanello P. Spectroscopic and Electrochemical Study of Trinuclear Ferracyclopentadienyl Clusters $[\text{Fe}_3(\eta^5\text{-CO})_2(\text{CO})_6(\text{RC}_2\text{R})_2]$. *Organometallics* 1989;8(3):620-629.

(393) Osella D, Arman G, Gobetto R, Laschi F, Zanello P, Ayrton S, et al. Electrochemical, Spectroscopic, and Theoretical Study of Trinuclear Ruthenacyclopentadienyl Clusters $\text{Ru}_3(\eta^5\text{-CO})_2(\text{CO})_6(\text{RC}_2\text{R})_2$. *Organometallics* 1989;8(11):2689-2695.

(394) Rao KM, Gobetto R, Iannibello A, Zecchina A. Solid state NMR and IR studies of phosphomolybdenum and phosphotungsten heteropoly acids supported on SiO_2 , $\gamma\text{-Al}_2\text{O}_3$, and $\text{SiO}_2\text{Al}_2\text{O}_3$. *J Catal* 1989;119(2):512-516.

(395) Osella D, Botta M, Gobetto R, Amadelli R, Carassiti V. Photochemical and photocatalytic behaviour of 'flyover-bridge' complexes. *Journal of the Chemical Society, Dalton Transactions* 1988(10):2519-2524.

(396) Aime S, Botta M, Gobetto R, Osella D. Notes. Carbon-13 and oxygen-17 nuclear magnetic resonance relaxation studies of $[\text{M}_3(\text{CO})_{12}]$ derivatives ($\text{M} = \text{Fe}$, Ru , or Os). *Journal of the Chemical Society, Dalton Transactions* 1988(3):791-792.

(397) Boccardo D, Botta M, Gobetto R, Osella D, Tiripicchio A, Cemellini MT. Reorientation of the alkyne moiety in the heterometallic cluster $[\text{FeCo}_2(\text{CO})_9(\text{EtC}_2\text{Et})]$, induced by phosphine, phosphite, or isonitrile substitution for CO. Crystal structure of $[\text{FeCo}_2(\text{CO})_8(\text{PPh}_3)(\text{EtC}_2\text{Et})]$. *Journal of the Chemical Society, Dalton Transactions* 1988(5):1249-1257.

(398) Miccheli A, Aureli T, Delfini M, Di Cocco ME, Viola P, Gobetto R, et al. Study on influence of inactivation enzyme techniques and extraction procedures on cerebral phosphorylated metabolite levels by ^{31}P NMR spectroscopy. *Cell Mol Biol* 1988;34(6):591-603.

(399) Aime S, Botta M, Gobetto R, Osella D, Padovan F. Organometal clusters as models for corrosion inhibitors. The reaction of $\text{Os}_3(\text{CO})_{10}(\text{NCCH}_3)_2$ with benzotriazole. *J Organomet Chem* 1988;353(2):251-257.

(400) Aime S, Botta M, Gobetto R, Osella D, Milone L. ^{13}C solid State MAS NMR spectra of $[\text{M}_3(\text{CO})_{12}]$ complexes ($\text{M} = \text{Ru}$ and Os). Evidence for motional effects in $[\text{Ru}_3(\text{CO})_{12}]$. *Inorg Chim Acta* 1988;146(2):151-152.

(401) Osella D, Botta M, Gobetto R, Laschi F, Zanello P. Electrochemistry of Iron and Ruthenium Flyover Bridge Complexes. *Organometallics* 1988;7(2):283-288.

(402) Skinner DM, Rosenberg E, Bracker-Novak J, Aime S, Osella D, Gobetto R, et al. Carbon-Metal Hydrogen Interchange in Organometal Clusters of Ruthenium and Osmium. *Organometallics* 1988;7(4):856-858.

(403) Aime S, Gobetto R, Padovan F, Rosenberg E, Gellert RW, Botta M. Synthesis, Structure, and Ligand Dynamics of $(\eta^3\text{-C}_3\text{H}_5\text{C}(\text{CH}_3)=\text{NCH}_2\text{CH}_3)\text{Ru}_3(\text{CO})_9$. *Organometallics* 1987;6(10):2074-2078.

- (404) Aime S, Botta M, Gobetto R, Osella D. H NMR Spin-Lattice Relaxation Studies of Hydridometal Clusters of Ruthenium and Osmium. *Inorg Chem* 1987;26(15):2551-2552.
- (405) Aime S, Gobetto R, Nano R, Santucci E. ¹³C solid state CP/MAS NMR studies of EDTA complexes. *Inorg Chim Acta* 1987;129(2):L23-L25.
- (406) Aime S, Botta M, Gobetto R, Osella D. Bis(diphenylphosphino)methane-substituted products from (³-CCH₃)Co₃(CO)₉. *J Organomet Chem* 1987;320(2):229-237.
- (407) Aime S, Botta M, Gobetto R, Osella D, Padovan F. Synthesis of the alkoxo(hydrido)-clusters [Ru₃(³-H)(CO)₁₀(³-OR)] [R = Me, Et, Prn, or Bun] catalysed by dinuclear carbonyl iron complexes. *Journal of the Chemical Society, Dalton Transactions* 1987(1):253-254.
- (408) Fruttero R, Calvino R, Ferrarotti B, Gasco A, Aime S, Gobetto R, et al. Oximation of acetyl(hydroxyimino)acetone: Nuclear magnetic resonance spectroscopic, chemical, and X-ray crystallographic studies of the reaction products. *J Chem Soc Perkin Trans 2* 1987(5):523-529.
- (409) Aime S, Gobetto R, Jannon G, Osella D. The reaction of Co₄(CO)₁₂ with Ph₂PCH₂CH₂PPh₂. Spectroscopic identification of polymeric products. *J Organomet Chem* 1986;309(3):C51-C55.
- (410) Osella D, Gobetto R, Montangero P, Zanello P, Cinquantini A. Reorientation of the Alkyne Moiety in Fe₃(CO)₉(RC₂R) Clusters Induced by a Two-Electron Electrochemical Reduction. *Organometallics* 1986;5(6):1247-1253.
- (411) Aime S, Gobetto R, Osella D, Milone L, Rosenberg E, Anslyn EV. Solution structures and dynamics of [HOS₃(CO)₁₀(³,³ vinyl)] complexes. *Inorg Chim Acta* 1986;111(2):95-98.
- (412) Aime S, Gobetto R, Nicola G, Osella D, Milone L, Rosenberg E. Dynamic Behavior of the Flyover Bridge Complexes M₂(CO)₅L {³-[C(R)=C(R³)]₂CO} (M = Ru, Fe; L = CO, PPh₃, AsPh₃, SbPh₃; R, R³ = Me, Ph). *Organometallics* 1986;5(9):1829-1833.
- (413) Hawkes GE, Randall EW, Aime S, Gobetto R. A new method for the determination of ¹⁷O electric quadrupole couplings. Terminal, bridging, and capping CO groups in metallocarbonyls. *Journal of Magnetic Resonance* (1969) 1986;68(3):597-599.
- (414) Aime S, Gobetto R, Osella D, Bertoncello R, Granozzi G, Busetti V. The Alkyne-Cluster Interaction: Structural, Theoretical, and Spectroscopic Study on the Parallel ³-³ Bonding Mode in Trinuclear Carbonyl Clusters of Ruthenium and Osmium. *Inorg Chem* 1986;25(22):4004-4010.
- (415) Aime S, Gobetto R, Osella D, Milonej L, Hawkes GE, Randall EW. Reinvestigation of the solution structure of Co₄(CO)₁₂ by ¹³C and ⁵⁹Co NMR. 2. *Journal of Magnetic Resonance* (1969) 1985;65(2):308-315.
- (416) Aime S, Botta M, Gobetto R, Osella D. Activation of the M-CO Bond in Transition-Metal Complexes. Fe₂(CO)₆(SMe)₂ and Phosphine-Substituted Derivatives as Good Catalysts in Metal Carbonyl Substitution Reactions. *Organometallics* 1985;4(8):1475-1476.
- (417) Aime S, Castiglioni M, Gobetto R, Osella D. Stoichiometric hydrogenation of the heterobimetallic (³-alkynyl) complex [³(¹, ²³³H₂CC CCH₃)] [(CO)₃FeCo(CO)₃]. *Polyhedron* 1984;3(2):175-181.
- (418) Aime S, Gobetto R, Osella D, Hawkes GE, Randall EW. Oxygen-17 and carbon-13 relaxation studies of metal carbonyls: Improved determination of ¹⁷O electric quadrupole couplings. *Journal of the Chemical Society, Dalton Transactions* 1984(9):1863-1866.
- (419) Rosenberg E, Anslyn EV, Barner-Thorsen C, Aime S, Osella D, Gobetto R, et al. Kinetic deuterium isotope effects on ³-hydride and carbonyl ligand migrations. *Organometallics* 1984;3(12):1790-1795.
- (420) Busetti V, Granozzi G, Aime S, Gobetto R, Osella D. The Alkyne-Cluster Interaction: Structural, Theoretical, and Mechanistic Studies on the M₂M'(CO)₉(³-³-alkyne) Complex (M = Fe; M' = Fe and Ru). *Organometallics* 1984;3(10):1510-1515.
- (421) Hawkes GE, Randall EW, Aime S, Gobetto R, Osella D. The ¹H And ²H NMR Spectra

Of $\text{HFeCo}_3(\text{CO})_{12}$. *Polyhedron* 1983;2(11):1235-1240.

(422) Aime S, Gobetto R, Osella D, Milone L, Hawkes GE, Randall EW. Oxygen-17 relaxation times of metallocarbonyls: The use of the ^{17}O electric quadrupole coupling as a new structural probe. *Journal of the Chemical Society, Chemical Communications* 1983(15):794-796.

(423) Aime S, Osella D, Gobetto R, Johnson BFG, Milone L. Fluxional behaviour of the binary carbonyls. A comparison of the isoelectronic and isostructural tetranuclear clusters: $\text{Co}_4(\text{CO})_{12}$, $\text{HFeCo}_3(\text{CO})_{12}$ and $[\text{FeCo}_3(\text{CO})_{12}]^-$. *Inorg Chim Acta* 1983;68(C):141-145.

(424) Aime S, Gobetto R, Osella D, Milone L, Rosenberg E. Relationships between Structure and Ligand Dynamics in Organometal Clusters. *Organometallics* 1982;1(4):640-644.

Nuclear Magnetic Resonance Laboratory - Department of Chemistry - University of Torino -
Via P. Giuria, 7 - 10125 Torino - Ph. +39 011 6707520

Source URL: <https://www.nmr.unito.it/node/7>